

FRA Instructions for Electronic Submission of U.S. DOT Crossing Inventory Data Grade Crossing Inventory System (GCIS) V3.2.0, Release: 06/21/2022 Document Revision Date: 06/09/2022

**U.S. Department of Transportation Federal Railroad Administration** 

**Office of Railroad Safety** 

DOT/FRA/RRS-22 Published Date: January 6, 2015 Effective Date: March 7, 2015 This page is intentionally left blank

### **Revision Summary**

Revision Date	Document Version #	Revision Class	Summary		
01/07/2015	1.1	Major	Initial Availability		
03/06/2015	1.2	Minor	Updated Appendix A, Field Size column		
10/02/2015	2.0	Major	Revised and edited document to support Release 2.1.0.0 enhancements (see release notes for details).		
11/13/2015	3.0	Major	Revised and edited document to support Release 2.2.0.0 enhancements (see release notes for details).		
01/15/2016	4.0	Major	Revised and edited document to support Release 2.3.0.0 enhancements (see release notes for details).		
02/12/2016	5.0	Major	Revised and edited document to support Release 2.4.0.0 enhancements (see release notes for details).		
12/28/2016	5.1	Minor	Revised and edited document to support Release 2.5.0.0 enhancements (see release notes for details).		
02/17/2017	5.2	Minor	Revised and edited document to support Release 2.6.0.0 enhancements (see release notes for details). Updated Appendix A, Part II.4 Updated Appendix B-1, Part II.4		
12/01/2017	5.3	Minor	Revised and edited document to support Release 2.7.0.0 enhancements (see release notes for details). Updated Section 5 to incorporate information on Unhandled Errors.		
5/04/2018	5.4	Minor	Revised and edited document to support Release2.8.0.0 enhancements (see release notes for details).On page 6 added information about email notification foExcel updatesOn page 8 added information about email notification foAPI updates		
7/2/2019	5.5	Minor			

Revision Date	Document Version #	Revision Class	Summary		
			New Crossings).		
4/30/2020	5.6	Minor	Revised and edited document: Fixed Version Number and date On pages 17and 38, added to Train Speed fields: (Valid value 0 when Reason for Update is No Train Traffic) On pages 22 and 50, added "or blank" for HwynDist values (If No, Valid Value: 501-2500 or blank) On page 37, added, to cross field data validation rules for LT1Mov: "(for ReasonID = 24 (No Train Traffic), WEEKTRNMOV can be 0.)" On page 38, added, to cross field data validation rules for WeekTrnMov: "(for ReasonID = 24 (No Train Traffic), WEEKTRNMOV can be 0.)"		
7/9/2020	5.7	Minor	Revised and edited document:         Updated Version Number and date         On page 7, the following has been added:         Times returned with an HTTP GET, are in Eastern         Standard Time.         On page 39, replaced the cross-field data validation rule         for MainTrk with:         If multiple types of Crossing Surfaces (XSURFACEIDS         are selected, then Main Track (MAINTRK) must be         greater than or equal to the number of types of crossing         surfaces ids.		
2/22/2021	5.8	Minor	<ul> <li>Revised and edited document:</li> <li>Updated Version Number and date.</li> <li>Updated page numbers, and Table of Contents</li> <li>On page 7, an e-mail address has been added, as related to</li> <li>HSR Corridor or MUTCD Code not being found in the look up table(s).</li> <li>On pages 15 and 35, for SfxHscorRid, the Single-Field</li> <li>Data Validation has been updated.</li> <li>On pages 15 and 36, for HscorRid, the Single-Field Data</li> <li>Validation has updated.</li> <li>On pages 20 and 48, for Awdidate, the Single-field Data</li> <li>Validation has been updated.</li> <li>On page 48, for Awdidate, the Cross-field Data</li> <li>Validation has been re-worded and fields in the validation have been updated.</li> <li>On pages 21 and 49, for Awhornldate, the Single-field Data Validation has been updated.</li> <li>On page 49, for Awhornldate and Awhornchk. the Cross-field Data Validation has been updated.</li> </ul>		

Revision	Document		Summary		
Date	Version #	Class			
			of field names.		
			On pages 22 and 50, for Intrprmp, the Single-field Data		
			Validation has updated wording.		
			On page 50, for Intrprmp, a description has been added,		
			about how GCIS processes Intrprmp and related field		
			Premptype,		
			On page 51, for Premptype, a description has been added,		
			on how GCIS processes this field.		
			On pages 23 and 52, for XSurfDate, the Single-field Data		
			Validation has been updated.		
			On page 34, for Lt1PassMov, in the Cross-Field Data		
			Validation, spelling has been fixed.		
			On page 34, for Passent, the Cross-Field Data Validation		
			has minor wording change, spelling correction, and		
			corrections made to some of the related field names.		
			On page 38, for Lt1mov, in the Cross-Field Data		
			Validation, some fields in the validation wording have		
			been corrected.		
			On pages 52, for XSurfWidth XSurfaceLength, and		
			XSurfaceIDs, spelling correction was made in the Cross-		
			Field Data Validation Rules.		
			On pages 53, for XSurfaceIDs, spelling correction was		
			made in the Cross-Field Data Validation Rules.		
			On page 55, for SchlBsCnt, a spelling correction was		
			made in the Cross-Field Data Validation Rules.		
			Revised and edited document:		
			Updated Version Number and date.		
			4.1. Updating Crossings, body text, additional wording		
			has been added,		
			In row III.2.J of the GCIS Data Validation Rules Table in		
			Appendix A, and GCIS Single and Cross Field		
			Validations table in Appendix B, Other MUTCD Signs,		
			Specify Type, to clarify which are valid values for		
5/26/2022	5.9	Minor	MUTCD for API and Excel, and the Single-Field Data		
			Validation has been updated.		
			In row III.2.F of the GCIS Single and Cross Field		
			Validations table in Appendix B the Cross Field		
			Validation Rules have been updated.		
			Appendix C the introductory wording has been update.		
			Appendix C table has had E replace the blank cells and		
			the endnote/footnote added to the beginning and end of		
			the table		

Revision	Document	Revision	Summary
Date	Version #	Class	
			Changed the document and table formatting, added table
			headers to document headers where auto formatting tables
06/09/2022	6.0	Minor	broke
			Table of contents, Tables, and Figures replaced for
			application managed spacing and numbering

# **Table of Contents**

1. Introduction	5
2. Background	5
3. Submission Instructions	6
3.1. Submitting Crossing Inventory Data via GCIS Web Application	6
3.2. GCIS System to System Operations	6
4. Electronic Data File Format Specifications	10
4.1. Updating Crossings	10
4.2. Uploading File Formats	10
5. Data Validation Specifications	11
6. Contact Information to Request Assistance	11
Appendix A: GCIS Inventory Data Field File Specification – Update Only	12
Appendix B: GCIS Data Validation Rules	30
B-1: Single and Cross-field Validations	30
B-2: Business Rules Validations	59
Appendix C: GCIS Required and Optional Fields	65
Appendix D: GCIS Business Processes	74

# Table of Tables

Table 1 - FRA Data Requests	7
Table 2 - File Upload Naming Convention	10
Table 3 - GCIS Inventory Data Field File Specification	12
Table 4 - GCIS Single and Cross Field Validations	30
Table 5 - GCIS Business Rules Validations	59
Table 7 - GCIS Required and Optional Fields	65

# Table of Figures

Figure 1 - GCIS Business Processes	. 74
Figure 2 - FRA Secure API flow	. 75

# 1. Introduction

These instructions are intended to supplement the FRA Guide for Preparing U.S. DOT Crossing Inventory Forms ("Inventory Guide"), as well as the reporting and updating requirements contained in subpart F to 49 CFR Part 234. This document is also intended to provide the electronic file formats allowed by the FRA and valid data specifications for electronic submission of the U.S. DOT Crossing Inventory Form data (Form FRA F 6180.71).

## 2. Background

The FRA requires Class I Railroads to submit crossing inventory data to the FRA electronically as set forth in subpart F to 49 CFR Part 234. To support this requirement, the FRA developed a new Grade Crossing Inventory System (GCIS). As a result of GCIS, the FRA discontinued the use of GX 32, a PC-based crossing data maintenance system software previously used by data providers. The FRA now provides a new secure web-based application that allows Railroads, Transits, and States to submit their U.S. DOT Crossing Inventory data (Form FRA F 6180.71) as electronic files in the formats specified below. The web application will allow the submission of report data in the following formats:

Microsoft (MS) Excel (.xlsx) •

Users have the ability to submit multiple crossing records at the same time using a preformatted Excel file template. A copy of the Excel template can be downloaded from the secure GCIS webbased application located under the File Upload or Help section.

Application Programming Interface (API) •

A separate capability of the GCIS system provides Railroads, Transits, and States the ability to submit data directly to FRA via a secure Application Programming Interface (API). FRA has selected Open Data (OData) as the API protocol to be used to retrieve FRA data. OData uses the Representational State Transfer (REST) model for all data requests. Although the OData protocol supports a full suite of Create, Update, and Delete (CRUD) functionality, FRA supports only commands associated with retrieving data and for the submission of one or many crossing inventory data in the following electronic format:

- Extensible Markup Language (.xml)
- Java Script Object Notification, (.json)
- ATOM (.atom)

Each GET or POST request must follow the GCIS Inventory Data Field File Specification table (Appendix A). The web address to the GCIS Secure Safety Data API website is located at https://safetydata.fra.dot.gov/MasterWebService/secureapi. You can view a copy of the XML metadata schema by going to the Grade Crossing Inventory Dataset page and clicking on the Metadata web link. Please note that FRA's Secure API requires a registered username, password, and access token.

# **3. Submission Instructions**

As stated above, the new GCIS facilitates the submission of U.S DOT Crossing Inventory Form data through the web-based application or the System to System interface. Both of these components will require information uploaded or transmitted via electronic files to follow the *GCIS Inventory Data Field File Specification* (Appendix A: GCIS Inventory Data Field File Specification – Update Only) described later in this document.

### 3.1. Submitting Crossing Inventory Data via GCIS Web Application

In brief, authorized agencies can submit railroad crossing inventory data and related updates electronically using FRA's new Grade Crossing Inventory System (GCIS) and the instructions provided below. Authorized Railroad, State, and Transit users can access it using the following location: <u>http://safetydata.fra.dot.gov/Gcis/</u>. All authorized users must have a registered username and password. For additional information regarding the new GCIS web application, please refer to the *FRA GCIS Web User Guide*.

3.1.1. Uploading Electronic Files Using the New GCIS Web Application After a successful login, the user is redirected to the GCIS Home page of the web application. Users who want to upload an Excel file containing their crossing inventory data will click on the File Upload tab located in the top navigation menu to access the Upload Multiple Crossing Records page.

Electronic file submissions must follow the instructions provided in the *FRA Guide for Preparing U.S. DOT Crossing Inventory Forms* and the *GCIS Inventory Data Field File Specification* table provided in this document (Appendix A: GCIS <u>Inventory Data Field File Specification – Update Only</u>). For further instructions on how to submit an Excel file through the web application, please refer to the <u>*FRA*</u> <u>*GCIS Web User Guide*</u>.

The GCIS application generates an automatic email notification for each crossing that is modified using the Excel file upload feature.

### 3.2. GCIS System to System Operations

FRA provides a web Application Programming Interface (API) that enables agencies to submit multiple crossing records simultaneously using their own system and connecting to FRA's Secure Safety Data API services. The service uses Open Data (OData) as the API protocol to retrieve FRA data. OData uses the Representational State Transfer (REST) model for all data requests. Although the OData protocol supports a full suite of Create, Update, and Delete (CRUD) functionality, FRA supports only commands associated with requesting and posting data. The following is a brief summary of instructions for requesting and submitting railroad crossing inventory data electronically using FRA's Secure API. Please note that FRA's Secure API require a registered username, password, and access token to gain access to the operations described below. At a high level, the GCIS System to System submissions provide the following operations:

Table 1 - FRA Data Requests Operation	Description			
GET	All OData request must use HTTP GET. A few examples of requesting			
	crossing inventory data are:			
	• Get a list of all crossings last submitted for a specific crossing location			
	• Get all crossings that were successfully submitted and published to the			
	National Crossing Inventory			
	• Get all crossings that were submitted and failed validations for your agency			
	• Get all crossings that are pending because it failed validations or saved			
	and have not been validated			
	• Get all crossings that were submitted based on a Submission ID			
	• Get all crossings for a specific Railroad agency			
	Get all crossings within a specific State			
	• Get all crossings where the Crossing Type is Public or Private			
	Times returned with an HTTP GET, are in Eastern Standard Time.			
	Additional details regarding a few GET requests are provided below.			
Get Crossings	To get a list of all crossings that were submitted and failed validations for			
Containing Errors	your agency, the following request should be sent as follows:			
	/Masterwebservice/secureapi/gcis/v1/odata/CrossingErrors?token=			
Get Lookup Values	You can additionally request information supporting crossing data by			
	passing the following Entity Types: ErrorCodes, Lookups, Locations			
<ul> <li>ErrorCodes</li> </ul>	Provides a listing of all error codes and their associated messages. To query			
	a list of error codes, the sample request should be sent as follows:			
	/Masterwebservice/secureapi/gcis/v1/odata/ErrorCodes?token=			
<ul> <li>Lookups</li> </ul>	To query a list of lookup values used within the Grade Crossing Inventory Form for:			
	Functional Classifications			
	<ul> <li>HSR Corridor Codes and Descriptions</li> </ul>			
	L L			
	The query string request should be sent as follows: /Masterwebservice/secureapi/gcis/v1/odata/Lookups?token=			
	If any HSR Corridor or MUTCD Code is not found in the look up table(s),			
	an e-mail can be sent to RsisRXIUpdates@dot.gov			
• Locations	To query a list of location values to include:			
• Locations				
	State Code, Abbreviation, Name			
	County Code or Name			
	City Code or Name			
ו ו' ת	/Masterwebservice/secureapi/gcis/v1/odata/Locations?token=			
• Railroads	To query for Railroad Codes and Names:			
~ .	/Masterwebservice/secureapi/gcis/v1/odata/Railroads?token=			
• Companies	To query for Company Codes and Names:			
	/Masterwebservice/secureapi/gcis/v1/odata/Companies?token=			

7

Operation	Description
• Timetable Station	To query for a list of Timetable Station Codes and Names:
	/Masterwebservice/secureapi/gcis/v1/odata/TimeTableStations?token=
o Latitude/	To query for a list of Latitude and Longitude values:
Longitude	/Masterwebservice/secureapi/gcis/v1/odata/CountyCoordinates?token=
POST / PUT / PATCH	In order to submit crossing inventory data through the Secure API, you must use the POST, PUT, or PATCH endpoint in the request.
<ul> <li>Submit Crossing Record(s)</li> </ul>	<ul> <li>To add a new crossing record, the POST, PUT, or PATCH request must contain the and all properties associated with a new crossing.</li> <li>To update an existing crossing record, the POST, PUT, or PATCH request must contain the and the field(s) requiring a value to be updated.</li> <li><i>Note:</i> All requests must contain a property call and it must be set to false.</li> </ul>
• Submit Crossing Record Associated with a Different Agency	Once your account (email address) have been associated with a different agency other than the one agency you are approved for, you can submit crossing updates for those associated agency(s). To perform this update, you can use the POST endpoint in the request and pass the ID value of the Reporting Agency for which you are updating for to the property.
	The following sample POST request using JSON will /MasterWebService/SecureAPI/gcis/v1/odata/Crossings?token=
	<pre>{     "ReasonId": 14,     "ReportingAgencyTypeID": 1,     "ReportingAgencyID": 230,     "CrossingId": "024856Y",     "ReportType": "Full Inventory Record "     "Railroad": "BNSF"     "StateCD": "35",     "CntyCD": "35006",     "Nearest": "0",     "CityCD": "350060360",     "Street": "EL MORRO RD",     "BlockNumb": "",     "RrMain": "N/A",     "PosXing": "3" }</pre>

Operation	Description		
POSTING updates for	POSTING updates for Full Inventory Record, can be done by including, in the		
Full Inventory Record	POST Request: "ReportType": "Full Inventory Record ",		
vs. "Short" (i.e.,			
Multiple Form Filed)	POSTING updates for the "Short" Railroad Form, can be done by including, in		
Railroad Form	the POST Request: "ReportType": "Minor",		
Cancel Pending	To cancel a pending crossing record (records that have not been published to		
Crossing Records	the National Crossing Inventory), the POST request must contain the and the		
	must be set to true.		

The GCIS application generates an automatic email notification for each crossing that is modified using the API.

To view the current metadata schema, please visit the FRA's Secure Safety Data API page for Grade Crossing Inventory.

## 4. Electronic Data File Format Specifications

Data submitted using FRA's approved file formats, identified above, must comply with the field names, valid values, and other rules provided in the GCIS Inventory Data Field File Specification table (Appendix A: GCIS Inventory Data Field File Specification – Update Only).

Regardless of the format chosen to submit crossing data, the same business rules will apply. Therefore, States are only able to update the fields which they have access to, while Railroad and

Transit agencies can update any field (except State Use & Narrative fields), except in specific circumstances defined in the FRA Guide for Preparing U.S. DOT Crossing Inventory Forms and subpart F to 49 CFR Part 234. (Please refer to the final GCIS Inventory Data Field File Specification table (Appendix A: GCIS Inventory Data Field File Specification – Update Only) for the columns that assign responsibility for specific data fields to States, Railroads or both for updating purposes.)

The following instructions apply to XML and XSLX file submissions, unless otherwise noted (specific field types and field names referenced are found in Appendix A: GCIS Inventory Data Field File Specification – Update Only).

### **4.1. Updating Crossings**

To make updates to crossing data, simply enter the new value in the fields to be updated. In order to retain the current inventory value in the pending record, no changes are to be made. Also, please note the following:

If the current value in a numeric field is to be changed to zero (0), then enter a zero in the field. The value of zero in a number field will indicate to the FRA that the submitter wishes to change the field's current value to zero.

*Note:* If 0 is not a valid value for the numeric field, leave the field blank to remove the previous value from the inventory (there may some exceptions to this).

Blank values will now be treated as null values. Users will enter the value, (X), (i.e., Open Parenthesis, the letter X, Closed Parenthesis) to indicate the removal of a value from open text fields.

The application will validate any data submitted; therefore, clearing any existing data may result in data validation errors, regardless of how the update is being submitted.

### **4.2. Uploading File Formats**

The filename for Excel (.XLSX) files must be in the following format:

Table 2 - File Upload Naming Convention

Railroad Filename Format:	State Filename Format:		
GXRR_RAILROADCODE_MMDDYYYY.XLSX	GXST_STATEABBREVIATION_MMDDYYYY.XLSX		

*Note:* XML files do not require a filename convention as they can be derived based on the authenticated account used to submit the information.

# 5. Data Validation Specifications

Reporting agencies shall provide all required fields as listed in Appendix C: GCIS Required and Optional Fields on all crossing inventory submissions. This data will be considered accurate if it successfully passes all data validation rules in Appendix B: GCIS Data Validation Rules. If these two conditions are not met, the agency's data submission is not considered complete.

Data required as part of the crossing form will vary based on the agency's Reason for Update. For example, if there have been no changes to the data, a user may select "Date Change Only"; likewise, if a user would like to transfer the crossing from one Railroad to another, then "Change in Primary Operating Railroad" should be selected, and an update to that field will then be required. When it is determined that any data element(s) is not complete or accurate, the application will display error message(s) that will inform the user of what needs to be corrected. The record will be accepted and then published to the National Crossing Inventory only after it passes all validations and no errors are generated.

Users will be provided with a receipt of their submission as well as a status indicator showing whether the updates were published to the National Crossing Inventory. If the data was not successfully published, the user can view the validation errors generated by the submission.

Certain errors conditions can be categorized as Unhandled Errors. Most commonly, unhandled errors are caused by an application bug, a syntax error in the API submission, or a timeout/deadlock condition on the server. In the event that an Unhandled Error is the cause of a submission failure, the application will indicate that the error was encountered. In addition to the existing error notification, a new Unhandled Errors report captures most unhandled errors and permits users to view the unhandled errors associated with their submissions. The report enables users to filter the data by Agency Code, Crossing ID, and/or Date Range.

# 6. Contact Information to Request Assistance

For assistance with issues encountered during the account registration or data submission processes, the submitting agency may contact FRA Support (Help Desk) by telephone at (888) 372 -9393 or RSISRXIUpdates@dot.gov.

### Appendix A: GCIS Inventory Data Field File Specification – Update Only

Data submitted using the GCIS Inventory Data Field File Specifications should use the latest FRA code values (City, County and State codes) provided in FRA's Auxiliary (Reference) tables with download versions available at: <u>http://safetydata.fra.dot.gov/OfficeofSafety/publicsite/downloads/Auxilary.aspx</u>

Upon submission, all electronic files will undergo various types of validations (Single, Cross-field and other rules). For additional information, see <u>Appendix B:</u> <u>GCIS Data Validation Rules</u>.

Table 3 - GCIS Inventory Data Field File Specification

Box No.						
on			Et al al	Data		Undete
Form 6180.71	Field Name	Description	Field Size	Data Type*	Single-field Data Validation Rules	Update Provided By
A	RevisionDate	Revision Date (Date of Submission)	N/A	D	U.S. Date Format: MM/DD/YYYY	State & Railroad
В	ReportingAgencyTypeID	Reporting Agency	1	N	1 = Railroad 2 = State 3 = Transit 4 = FRA Internal Use	State & Railroad
C	ReasonId	Reason for Update	2	N	<ul> <li>14 = Change in Data</li> <li>15 = New Crossing</li> <li>16 = Closed</li> <li>19 = Re-Open</li> <li>20 = Date Change Only</li> <li>21 = Change in Primary Operating RR</li> <li>22 = Admin. Correction</li> <li>23 = Quiet Zone Update</li> <li>24 = No Train Traffic</li> </ul>	State & Railroad
D	CrossingId	DOT Crossing Inventory Number	20	С	First 6 characters must be numeric followed by an alphabetic character.	State & Railroad
1.1	Railroad	Primary Operating Railroad	32	С	Must be a valid Railroad Code. It must be in FRA Railroad Reference table.	Railroad

Box No. on Form			Field	Data		Update
6180.71	Field Name	Description	Size	Туре*	Single-field Data Validation Rules	Provided By
1.2	StateCD	State	2	C	State Abbreviation or FIPS code must be in FRA Locations Reference table.	State for Public Crossings Railroad for Private Crossings
1.3	CntyCD	County	10	C	County Name or FIPS Code must be in FRA Locations Reference table.	State for Public Crossings Railroad for Private Crossings
1.4	Nearest	In or Near City Indicator	1	C	0 = In 1 = Near	State for Public Crossings Railroad for Private Crossings
1.4	CityCD	City/Municipality	10	C	City Name or FIPS Code must be in FRA Locations Reference table.	State for Public Crossings Railroad for Private Crossings
1.5	Street	Street or Road Name	256	C	Any alpha or numeric characters including dash (-) and slash (/)	State for Public Crossings Railroad for Private Crossings
1.5	BlockNumb	Block Number of Street or Road	6	C	Blank or Numeric Characters.	State for Public Crossings Railroad for Private Crossings

DO	ox No.						
on	Form			Field	Data		Update
61	80.71	Field Name	Description	Size	Type*	Single-field Data Validation Rules	Provided By

1.6	Highway	Highway Type and No.	256	C	Any alpha or numeric characters including comma (,) and dash (-)	State for Public Crossings Railroad for Private Crossings
1.7	SepInd	Do Other RRs Operate a Separate Track at Crossing?	1	С	1 = Yes 2 = No	Railroad
1.7	SepRr1	Specify RR Code of Other Railroads that Operate Separate Track	32	С	If specified, then it must be a valid Railroad Code and found in the FRA Railroad Reference table	Railroad
1.7	SepRr2	Specify RR Code of Other Railroads that Operate Separate Track	32	С	If specified, then it must be a valid Railroad Code and found in the FRA Railroad Reference table	Railroad
1.7	SepRr3	Specify RR Code of Other Railroads that Operate Separate Track	32	С	If specified, then it must be a valid Railroad Code and found in the FRA Railroad Reference table	Railroad
1.7	SepRr4	Specify RR Code of Other Railroads that Operate Separate Track	32	С	If specified, then it must be a valid Railroad Code and found in the FRA Railroad Reference table	Railroad
1.8	SameInd	Do other RRs Operate Over Your Track at Crossing?	1	С	1 = Yes 2 = No	Railroad

Federal Railroad Administration Highway-Rail Crossing Division

Box No. on Form 6180.71	Field Name	Description	Field Size	Data Type*	Single-field Data Validation Rules	Update Provided By
1.8	SameRr1	Specify RR Code(s) of Other Railroads that Operate Over Your Track at Crossing	32	C	If specified, then it must be a valid Railroad Code and found in the FRA Railroad Reference table	Railroad
1.8	SameRr2	Specify RR Code(s) of Other Railroads that Operate Over Your Track at Crossing	32	C	If specified, then it must be a valid Railroad Code and found in the FRA Railroad Reference table	Railroad
1.8	SameRr3	Specify RR Code(s) of Other Railroads that Operate Over Your Track at Crossing	32	C	If specified, then it must be a valid Railroad Code and found in the FRA Railroad Reference table	Railroad
1.8	SameRr4	Specify RR Code(s) of Other Railroads that Operate Over Your Track at Crossing	32	C	If specified, then it must be a valid Railroad Code and found in the FRA Railroad Reference table	Railroad
1.9	RrDiv	Railroad Division or Region	256	C	Any Alphanumeric Data	Railroad
I.10	RrSubDiv	Railroad Subdivision or District	256	С	Any Alphanumeric Data	Railroad
l.11	Branch	Branch or Line Name	256	С	Any Alphanumeric Data	Railroad
I.12	PrfxMilePost	RR Milepost Prefix	3	С	Valid value: one to three alphanumeric characters or blank	Railroad
1.12	MilePost	RR Milepost	8	C	Must be a numeric and the acceptable format is: NNNN.NNN (with explicit decimal point)	Railroad

Federal Railroad Administration Highway-Rail Crossing Division

Box No.						
on Form			Field	Data		Update
6180.71	Field Name	Description	Size	Type*	Single-field Data Validation Rules	Provided By

I.12	SfxMilePost	RR Milepost Suffix	3	C	Valid value: one to three alphanumeric characters or blank	Railroad
I.13	RrID	Line Segment	256	C	Any Alphanumeric Data	Railroad
1.14	TtstnNam	Nearest RR Timetable Station Name	256	C	If specified, then it must be in FRA Time Table Station Reference Table look up	Railroad
1.15	RrMain	Parent RR	32	С	If specified, then it must be a valid Railroad Code and found in the FRA Railroad Reference table.	Railroad
I.16	XingOwnr	Crossing Owner	32	С	If specified, then it must be a valid Railroad or Company Code. It must be in FRA Railroad Reference table or Company Code.	Railroad
1.17	TypeXing	Crossing Type	1	С	2 = Private 3 = Public	State & Railroad
1.18	XPurpose	Crossing Purpose	1	C	1 = Highway 2 = Pathway, Pedestrian 3 = Station, Pedestrian	State & Railroad
1.19	PosXing	Crossing Position	1	C	1 = At Grade 2 = RR Under 3 = RR Over	State & Railroad
1.20	OpenPub	Public Access	1	С	1 = Yes 2 = No	Railroad
1.21	TypeTrnSrvcIDs	Type of Train	32	C	<ul> <li>11 = Freight</li> <li>12 = Intercity Passenger</li> <li>13 = Commuter</li> <li>14 = Transit</li> <li>15 = Shared Use Transit</li> <li>16 = Tourist/Other</li> </ul>	Railroad If only 'Freight' is selected, then PassCnt must = '0.'
1.22	Lt1PassMov	Less Than One Average Passenger Train Count Per Day?	1	С	1 = Less than One Average Passenger Train Movement Per Day 2 = Number per Day	Railroad

Box No.						
on Form			Field	Data		Update
6180.71	Field Name	Description	Size	Type*	Single-field Data Validation Rules	Provided By

1.22	PassCnt	Number Per Day	3	Ν	Valid value: 0 to 999	Railroad
1.23	DevelTypID	Type of Land Use	32	C	11 = Open Space 12 = Residential 13 = Commercial 14 = Industrial 15 = Institutional 16 = Farm 17 = Recreational 18 = RR Yard	State & Railroad
1.24	XingAdj	Is there an Adjacent Crossing with a Separate Number?	1	C	1 = Yes 2 = No	Railroad
1.24	XngAdjNo	If Yes, Provide Crossing Number	7	С	Must be valid crossing number	Railroad
1.25	WhistBan	Quiet Zone (FRA Provided)	1	С	0 = No 1 = 24 hr 2 = Partial 3 = Chicago Excused	FRA Will Populate
1.25	WhistDate	Date Established	N/A	D	Date Established Format: MM/DD/YYYY	FRA Will Populate
1.26	SfxHscoRrid	HSR Corridor ID Suffix	4	C	Rail-Section Identifier (numeric 1-9) or use 'X' if numeric not used.	State & Railroad
1.26	HscoRrid	HSR Corridor ID	4	C	The three alpha characters must be in FRA High Speed Corridor Reference Table (FRA Inventory Guide, Appendix F). The 4th character is specified in the above row for HSR Corridor ID Suffix (SfxHscoRrid). The system accepts both -1 or N/A, to indicate HSR Corridor ID is "N/A".	State & Railroad

Federal Railroad Administration Highway-Rail Crossing Division

Box No.						
on Form			Field	Data		Update
6180.71	Field Name	Description	Size	Type*	Single-field Data Validation Rules	Provided By
				71		
1.27	Latitude	Latitude in decimal degrees (max 10 char., WGS84 std nn.nnnnnn)	7-10	N	Latitude coordinates must in decimal degrees. Valid Format: NN.NNNNNN (with explicit decimal point) Latitude Degrees must be 24 to 49. For the State of Alaska it must be 50 to 71. Latitude values will be acceptable between 5 to 7 digits after	State & Railroad
1.28	Longitude	Longitude in decimal degrees (max 11 char., WGS84 std - nnn.nnnnn)	7-11	N	the decimal point. Longitude Coordinate must in decimal degrees. Valid Format: NN.NNNNNN (with explicit decimal point) Longitude Degrees must be - 66 to -124. For the State of Alaska it must be -165 to 1132 Longitude values will be acceptable between 5 to 7 digits after the decimal point.	State & Railroad
1.29	LLsource	Latitude/Longitude Source	1	С	1 = Actual 2 = Estimated	State & Railroad
I.30.A	RrNarr1	Railroad Use	256	С	Railroad Use	Railroad
I.30.B	RrNarr2	Railroad Use	256	С	Railroad Use	Railroad
I.30.C	RrNarr3	Railroad Use	256	С	Railroad Use	Railroad
I.30.D	RrNarr4	Railroad Use	256	С	Railroad Use	Railroad
I.31.A	StNarr1	State Use	256	С	State Use	State
I.31.B	StNarr2	State Use	256	С	State Use	State
I.31.C	StNarr3	State Use	256	С	State Use	State
I.31.D	StNarr4	State Use	256	С	State Use	State
I.32.A	RrNarr	Railroad Narrative	max**	С	Railroad Narrative	Railroad
I.32.B	StNarr	State Narrative	max**	С	State Narrative	State
1.33	PolCont	Emergency Notification Telephone No. (Posted)	10	N	Must be numeric (area code and phone number) with no hyphens or parenthesis between area code and phone number	Railroad
1.34	RrCont	Railroad Contact (Telephone No.)	10	N	Must be numeric (area code and phone number) with no hyphens or parenthesis between area code and phone number	Railroad

FRA Instructions for Electronic Submission of U.S. DOT Crossing Inventory Data

GCIS v3.2.0 - Document Revision Date: 06/09/2022

Federal Railroad Administration Highway-Rail Crossing Division

Box No. on Form 6180.71	Field Name	Description	Field Size	Data Type*	Single-field Data Validation Rules	Update Provided By
1.35	HwyCont	State Contact (Telephone No.)	10	N	Must be numeric (area code and phone number) with no hyphens or parenthesis between area code and phone number Blank if Type of Crossing is Private	State
II.1.A	DayThru	Total Day Thru Trains (6 AM to 6 PM)	3	N	Valid value: 0 to 500	Railroad
II.1.B	NghtThru	Night Thru Trains (6 PM to 6AM)	3	N	Valid value: 0 to 500	Railroad
II.1.C	TotalSwt	Total Switching Trains (6 AM to 6 PM)	3	N	Valid value: 0 to 500	Railroad
II.1.D	TotalLtr	Total Transit Trains	3	N	Valid value: 0 to 500	Railroad
II.1.E	Lt1Mov	Check if Less Than One Movement Per Day	1	С	1 = Less Than One Movement Per Day 2 = One or More Movements Per Day	Railroad
II.1.E	WeekTrnMov	How many trains per week?	3	N	Valid value: 0 to 999	Railroad
II.2	YearTrnMov	Year of Train Count Data	4	N	Must be current year of update (YYYY)	Railroad
II.3.A	MaxTtSpd	Maximum Timetable Speed	3	N	Valid value: 1-150 (mph) (Valid value 0 when Reason for Update is No Train Traffic)	Railroad
II.3.B	MinSpd	Typical Speed Range Over Crossing (mph) From	3	N	Valid value: 1-150 (mph) (Valid value 0 when Reason for Update is No Train Traffic)	Railroad
II.3.B	MaxSpd	Typical Speed Range Over Crossing (mph) To	3	N	Valid value: 1-150 (mph) (Valid value 0 when Reason for Update is No Train Traffic)	Railroad
11.4	MainTrk	Main	2	N	Valid value range is 0 through 99	Railroad
11.4	SidingTrk	Siding	2	N	Valid value range is 0 through 99	Railroad

Federal Railroad Administration Highway-Rail Crossing Division

Box No.						
on Form			Field	Data		Update
6180.71	Field Name	Description	Size	Type*	Single-field Data Validation Rules	Provided By

11.4	YardTrk	Yard	2	Ν	Valid value range is 0 through 99	Railroad
11.4	TransitTrk	Transit	2	Ν	Valid value range is 0 through 99	Railroad
11.4	IndustryTrk	Industry	2	N	Valid value range is 0 through 99	Railroad
11.5	SpselIDs	Train Detection (Main Track Only) Is Track Signaled?	32	C	0 = None 11 = Constant Warning Time 12 = Motion Detection 14 = Other 16 = AFO 17 = PTC 18 = DC	Railroad
II.6	Sgnleqp		1	C	1 = Yes 2 = No	Railroad
II.7.A	EMonitorDvce	Event Recorder	1	С	1 = Yes 2 = No	Railroad
II.7.B	HealthMonitor	Remote Health Monitoring	1	С	1 = Yes 2 = No	Railroad
III.1	NoSigns	Are there Signs or Signals?	1	С	1 = Yes (At least one sign or signal at crossing) 2 = No (No signs or signals at crossing)	State
III.2.A	XBuck	Crossbuck Assemblies (count)	2	N	Valid value: 0 to 99	State
III.2.B	StopStd	Stop Signs (R1-1)	1	Ν	Valid value: 0 to 9	State
III.2.C	YieldStd	Yield Signs (R1-2)	1	N	Valid value: 0 to 9	State
III.2.D	AdvWarn	Advance Warning Signs	32	C	Provide codes all that apply: 1 = W10-1 2 = W10-2 3 = W10-3 4 = W10-4 11 = W10-11 12 = W10-12 0 = None	State

Federal Railroad Administration Highway-Rail Crossing Division

Box No. on Form 6180.71	Field Name	Description	Field Size	Data Type*	Single-field Data Validation Rules	Update Provided By
III.2.D	AdvW10_1	Advance Warning Signs (W10-1)	1	N	Valid Value: 1 to 9	State
III.2.D	AdvW10_2	Advance Warning Signs (W10-2)	1	N	Valid Value: 1 to 9	State
III.2.D	AdvW10_3	Advance Warning Signs (W10-3)	1	N	Valid Value: 1 to 9	State
III.2.D	AdvW10_4	Advance Warning Signs (W10-4)	1	N	Valid Value: 1 to 9	State
III.2.D	AdvW10_11	Advance Warning Signs (W10-11)	1	N	Valid Value: 1 to 9	State
III.2.D	AdvW10_12	Advance Warning Signs (W10-12)	1	N	Valid Value: 1 to 9	State
III.2.E	Low_Grnd	Low Ground Clearance Signs (W10-5)	1	С	1 = Yes 2 = No	State
III.2.E	Low_GrndSigns	Low Ground Clearance Signs (W10-5) count	2	N	N/A	State
III.2.F	PaveMrkIDs	Pavement Markings	32	C	0 = None 1 = Stop Lines 2 = RR Xing Symbols 3 = Dynamic Envelope	State
III.2.G	Channel	Channelization Devices	1	C	1 = All Approaches 2 = One Approach 3 = Median – All Approaches 4 = Median – One Approach 5 = None	State
III.2.H	Exempt	Exempt Sign (R15- 3)	1	C	1 = Yes, crossing is exempt 2 = No, crossing is not exempt	State

Federal Railroad Administration Highway-Rail Crossing Division

Box N						
on For	n		Field	Data		Update
6180.7	1 Field Name	Description	Size	Type*	Single-field Data Validation Rules	Provided By

111.2.1	EnsSign	ENS Sign Displayed (I-13)	1	C	1 = Yes 2 = No	State
III.2.J	OthSgn	Other MUTCD Signs	1	С	1 = Yes 2 = No	State
III.2.J	OthSgn1	Other MUTCD Signs: Count	2	N	Valid Value: 1 to 99	State
III.2.J	OthDes1	Specify Type	10	С	For API submissions, the value to submit for OthDes1, should be from the values returned as "ID" from /MasterWebService/SecureAPI/gcis/v1/odata/Lookups?\$filter =LookupType eq 'MUTCD'&token=For Excel submissions, "Specify Type" can be selected from the "Specify Type 1" drop down found in the FRA Excel Template, under III.2.J. Other MUTCD Signs.	State
III.2.J	OthSgn2	Other MUTCD Signs: Count	2	N	Valid Value: 1 to 99	State
III.2.J	OthDes2	Specify Type	10	С	For API, the value to submit for OthDes2, should be from the values returned as "ID" from /MasterWebService/SecureAPI/gcis/v1/odata/Lookups?\$filter =LookupType eq 'MUTCD'&token= For Excel submissions, "Specify Type" can be selected from the "Specify Type 2" drop down found in the FRA Excel Template, under III.2.J. Other MUTCD Signs.	State
III.2.J	OthSgn3	Other MUTCD Signs: Count	2	N	Valid Value: 1 to 99	State
III.2.J	OthDes3	Specify Type	10	С	For API, the value to submit for OthDes3, should be from the values returned as "ID" from /MasterWebService/SecureAPI/gcis/v1/odata/Lookups?\$filter =LookupType eq 'MUTCD'&token= For Excel submissions, "Specify Type" can be selected from the "Specify Type 3" drop down found in the FRA Excel Template, under III.2.J. Other MUTCD Signs.	State

FRA Instructions for Electronic Submission of U.S. DOT Crossing Inventory Data

GCIS v3.2.0 - Document Revision Date: 06/09/2022

Light Structures:

Not Over Traffic

Cantilevered (or

Bridged) Flashing

Light Structures

32

Lane

(Type)

CFlashType

III.3.C

Box No. on Form 6180.71	Field Name	Description	Field Size	Data Type*	Single-field Data Validation Rules	Update Provided By
III.2.K	PrvxSign	Private Crossing	1	С	1 = Yes	Railroad
		Signs			2 = No	
III.2.L	Led	LED Enhanced	256	С	Blank if Type of Crossing is Public	State
111.Z.L	Lea	Signs	250		Any Alphanumeric Description	State
III.3.A	Gates	Gate Arms:	2	N	Valid Value: 0 to 99	State
		Roadway				(Railroad If
						Changed)
III.3.A	GatePed	Gate Arms:	2	Ν	Valid Value: 0 to 99	State
		Pedestrian				(Railroad If
						Changed)
III.3.B	GateConf	Gate Configuration	32	С	1 = 2 Quad	State (Railroad
					2 = 3 Quad	If Changed)
					3 = 4 Quad	
III.3.B	GateConfType	Gate Configuration	32	С	4 = Full (Barrier) Resistance	
		Туре			6 = Median Gates	
III.3.C	FlashOv	Cantilevered (or	2	Ν	Valid Value: 0 to 9	State
		Bridged) Flashing				(Railroad If
		Light Structures:				Changed)
		Over Traffic Lane				
III.3.C	FlashNov	Cantilevered (or	2	N	Valid Value: 0 to 9	State
		Bridged) Flashing				(Railroad If

Changed)

(Railroad If

Changed)

State

С

0 = None

2 = LED

1 = Incandescent

Federal Railroad Administration Highway-Rail Crossing Division

on Form		Field	Data		Update
6180.71 Field Name De	escription	Size	Type*	Single-field Data Validation Rules	Provided By

III.3.D	FlashPost	Mast Mounted Flashing Lights (count of masts)	2	N	Valid Value: 0 to 9	State (Railroad If Changed)
III.3.D	FlashPostType	Mast Mounted Flashing Lights (Type)	32	С	0 = None 1 = Incandescent 2 = LED	State (Railroad If Changed)
III.3.D	Bkl_FlashPost	Mast Mounted Flashing Lights: Back Lights Included	32	С	1 = Yes 2 = No	State (Railroad If Changed)
III.3.D	Sdl_FlashPost	Mast Mounted Flashing Lights: Side Lights Included	32	С	1 = Yes 2 = No	State (Railroad If Changed)
III.3.E	FlashPai	Total Count of Flashing Light Pairs	2	N	Valid Value: 0 to 99	State (Railroad If Changed)
III.3.F	AwdlDate	Installation Date of Current Active Warning Devices	6	C	Valid electronic submission format for Month and Year: MM/YYYY. Optional for active warning devices installed before Effective Date of Final Rule. API Submissions: a code of "-1" indicates "Not Required". Excel Uploads: "N/A" indicates "Not Required".	State (Railroad If Changed)
III.3.G	AwhornChk	Wayside Horn	1	С	1 = Yes 2 = No	State (Railroad If Changed)
III.3.G	AwhornIDate	Wayside Horn Installed On	6	С	Valid electronic submission format for Month and Year: MM/YYYY.	State (Railroad If Changed)
III.3.H	HwyTrafSignl	Highway Traffic Signals Controlling Crossing	1	C	1 = Yes 2 = No	State (Railroad If Changed)

Box No.						
on Form			Field	Data		Update
6180.71	Field Name	Description	Size	Type*	Single-field Data Validation Rules	Provided By

III.3.I	Bells	Bells	2	N	Valid Value: 0 to 9	State (Railroad If Changed)
III.3.J	SpecPro	Non-Train Active Warning	20	С	0 = None 1 = Flagging/Flagman 2 = Manually Operated Signals 3 = Watchman 4 = Floodlighting	State (Railroad If Changed)
III.3.K	FlashOth	Other Flashing Lights or Warning Devices: Count	2	N	Valid Value: 0 to 9	State (Railroad If Changed)
III.3.K	FlashOthDes	Other Flashing Lights or Warning Devices: Specify Type	256	С	Any Alphanumeric Description	State (Railroad If Changed)
III.4.A	HwynrSig	Does Nearby Hwy Intersection have Traffic Signal?	1	C	1 = Yes 2 = No	State
III.4.B	Intrprmp	Hwy Traffic Signal Interconnection	32	С	<ul> <li>1 = Not Interconnected</li> <li>2 = For Traffic Signals 3 = For Warning Signs</li> <li>"1" must not be specified should Codes "2" and/or "3" be specified</li> </ul>	State & Railroad
III.4.C	PrempType	Highway Traffic Signal Preemption	1	С	1 = Simultaneous 2 = Advance	State & Railroad
III.5	HwtrfPsig	Highway Traffic Pre-Signals	1	С	1 = Yes 2 = No	State
111.5	HwtrfPsigsdis	Highway Traffic Pre-Signals – Storage Distance	3	N	Optional value if HwtrfPsig is "YES" (0 to 99)	State

Federal Railroad Administration Highway-Rail Crossing Division

			0			
Box No. on Form			Field	Data		Undata
6180.71	Field Name	Description	Size	Data Type*	Single-field Data Validation Rules	Update Provided By
0100.71	Field Name	Description	5120	Type	Single-new Data valuation Rules	Provided by
III.5	HwtrfPsigIndis	Highway Traffic	3	Ν	Optional value if HwtrfPsig is "YES" (0 to 99)	State
		Pre-Signals – Stop				
		Line Distance				
III.6	MonitorDev	Highway	32	С	0 = None	State
		Monitoring			1 = Yes-Photo/Video Recording	
		Devices			2 = Yes-Vehicle Presence Detection	
IV.1	TraficLn	Traffic Lanes	2	C	Valid Value: 0 to 9	State
		Crossing Railroad:				
	-	Number of Lanes				
IV.1	TrafInType	Traffic Lanes	1	С	1 = One-way Traffic	State
		Crossing Railroad –			2 = Two-way Traffic	
		Туре			3 = Divided Traffic	
IV.2	HwyPved	Is Roadway Paved?	1	C	1 = Yes 2 = No	State
IV.3	Downst	Does Track Run	1	С	1 = Yes	State
		Down a Street?			2 = No	
IV.4	Illumina	Is Crossing	1	С	1 = Yes	State
		Illuminated?			2 = No	
IV.5	XSurfDate	Crossing Surface:	6	С	Valid electronic submissions format: MM/YYYY	State
		Installation Date				(Railroad If
						Changed)
IV.5	XSurfWidth	Crossing Surface:	3	Ν	Optional or 4-999 Feet (Feet Measurement)	State
		Width				(Railroad If
						Changed)
IV.5	XSurfLength	Crossing Surface:	3	Ν	Optional or 3-999 Feet (Feet Measurement)	State
		Length				(Railroad If
						Changed)

Box No.						
on Form			Field	Data		Update
6180.71	Field Name	Description	Size	Type*	Single-field Data Validation Rules	Provided By
		-				
IV.5	XSurfaceIDs	Crossing Surface	32	С	11 = 1. Timber	State
		(on Main Track):			12 = 2. Asphalt	(Railroad If
		Туре			13 = 3. Asphalt and Timber	Changed)
					14 = 4. Concrete	
					15 = 5. Concrete and Rubber	
					16 = 6. Rubber	
					17 = 7. Metal	
					18 = 8. Unconsolidated	
					19 = 9. Composite 20 = 10. Other (specify)	
					Specify all codes that apply if there are multiple main line	
					tracks which have different type of surface.	
IV.5	XSurOthr	Crossing Surface	256	С	Open Text	State &
10.5	Abdi o tin	for Other (specify)	230	C	open rext	Railroad (If
		for other (openly)				Changed)
IV.6	HwyNear	Intersecting	1	С	1 = Yes	State
	,	Roadway within			2 = No	
		500 feet?				
IV.6	HwynDist	If Yes,	4	N	If Yes, Valid Value: 1-500 If No, Valid Value: 501-2500 or blank	State
		Approximate				
		Distance (feet)				
IV.7	XAngle	Smallest Crossing	1	С	1 = 0-29 degrees	State
		Angle			2 = 30-59 degrees	
					3 = 60-90 degrees	
IV.8	ComPower	Is Commercial	1	С	1 = Yes	State
		Power Available?			2 = No	
V.1	HwySys	Highway System	2	C	1 = (01) Interstate Highway System	State
					2 = (02) Other Nat Hwy System (NHS)	
					3 = (03) Federal Aid, Not NHS	
					8 = (08) Non-Federal Aid	

Federal Railroad Administration Highway-Rail Crossing Division

V.9

SchlBusChk

Box No. on Form 6180.71	Field Name	Description	Field Size	Data Type*	Single-field Data Validation Rules	Update Provided By
V.2	HwyClassCD	Functional Classification of Road at Crossing	1	С	0 = (0) Rural 1 = (1) Urban	State
V.2	HwyClassrdtpID	Functional Classification of Road at Crossing	32	С	11 = (1) Interstate 12 = (2) Other Freeways and Expressways 13 = (3) Principal Arterial Other 16 = (4) Minor Arterial 17 = (5) Major Collector 18 = (6) Minor Collector 19 = (7) Local	State
V.3	StHwy1	Is Crossing on State Highway System?	1	С	1 = Yes 2 = No	State
V.4	HwySpeed	Highway Speed Limit (MPH)	3	N	0 to120 miles per hour	State
V.4	HwySpeedps	Highway Speed Limit - Posted or Statutory	1	С	1 = Posted 2 = Statutory	State
V.5	LrsRouteid	Linear Referencing System (LRS Route ID)	256	С	Any Alphanumeric Description	State
V.6	LrsMilePost	LRS Milepost	256	С	Any Alphanumeric Description	State
V.7	Aadt	Annual Average Daily Traffic (AADT)	6	С	Valid Values: 000001 - 999999	State
V.7	AadtYear	AADT: Year	4	С	Valid Year Date Format: YYYY	State
V.8	PctTruk	Estimated Percent Trucks	2	C	Valid Values: 0 to 99	State

С

Regularly Used by

School Buses?

1

1 = Yes

2 = No

State

Box No.						
on Form			Field	Data		Update
6180.71	Field Name	Description	Size	Type*	Single-field Data Validation Rules	Provided By

V.9	SchlBsCnt	Average No. of School Buses Passing Over the Crossing on a School Day	3	N	Valid Value: 0 to 999	State
V.10	EmrgncySrvc	Emergency	1	С	1 = Yes	State
		Services Route			2 = No	

\* Data Type

#### • C: Character String

N: Numeric ٠

• D: DateTime

\*\* max – this field does not have any character restrictions

### **Appendix B: GCIS Data Validation Rules**

Submissions received by FRA will be validated against:

- 1) Single and Cross-field Validations Data standardization and quality checks that ensure 1) values submitted to FRA are within the expected ranges and 2) values among related fields are logical and follow FRA established guidance.
- 2) Business Rules Validations Data integrity checks that ensure changes to the crossing in the National Crossing Inventory 1) follow a standard process, 2) are reported by the appropriate agency, and 3) meet minimum criteria for publishing.

### **B-1: Single and Cross-field Validations**

Table 4 - GCIS Single and Cross Field Validations

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form		Description		(Relationship of Two or More Data items)
				(Relationship of two of wore bata items)
6180.71				
А	RevisionDate	Revision Date	U.S. Date Format: MM/DD/YYYY	
		(Date of		
		Submission)		
В	ReportingAgenc	Reporting Agency	1 = Railroad	
	yTypeID		2 = State	
			3 = Transit	
			4 = FRA Internal Use	
С	ReasonId	Reason for Update	14 = Change in Data	Related fields: REPORTSTATUS, REPORTTYPE
			15 = New Crossing	
			16 = Closed	
			19 = Re-Open	
			20 = Date Change Only	
			21 = Change in Primary Operating RR	
			22 = Admin. Correction	
			23 = Quiet Zone Update	
			24 = No Train Traffic	
D	CrossingId	DOT Crossing	First 6 characters must be numeric followed by an alphabetic	
		Inventory Number	character.	

Federal Railroad Administration Highway-Rail Crossing Division

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

I.1	Railroad	Primary Operating	Must be a valid Railroad Code. It must be in FRA Railroad	
		Railroad	Reference table.	
1.2	StateCD	State	State Abbreviation or FIPS code must be in FRA Locations	
			Reference table.	
1.3	CntyCD	County	County Name or FIPS Code must be in FRA Locations	Related fields: STATE, CNTYCD
			Reference table.	County code must be found in FRA
				Organization Reference Table.
				STATE + CNTYCD look up where County
				Name must correspond to County Code.
1.4	Nearest	In or Near City	0 = In	
		Indicator	1 = Near	
1.4	CityCD	City/Municipality	City Name or FIPS Code must be in FRA Locations Reference	Related fields: STATE, CNTYCD, CITYCD and
			table.	NEAREST If in city (NEAREST=0), then City
				must be in the specified State and County.
				STATE + CNTYCD + CITYCD look up where
				City Code must correspond to City Name. If
				near city (NEAREST=1), then City must be in
				the specified State. STATE + CITYCD look up
				where City Code must correspond to City
				Name.
1.5	Street	Street or Road	Any alpha or numeric characters including dash (-) and slash	
		Name	(/)	
1.5	BlockNumb	Block Number of	Blank or Numeric Characters.	
		Street or Road		
1.6	Highway	Highway Type and	Any alpha or numeric characters including comma	
		No.	(,) and dash (-)	
1.7	SepInd	Do Other RRs	1 = Yes	
		Operate a	2 = No	
		Separate Track at		
		Crossing?		

Federal Railroad Administration Highway-Rail Crossing Division

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

1.7	SepRr1	Specify RR Code of Other Railroads that Operate Separate Track	If specified, then it must be a valid Railroad Code and found in the FRA Railroad Reference table	Related Fields: RAILROAD, SEPIND and SEPRR1 Railroad code in SEPRR1 must not be the same code as the Primary Operating Railroad (field I.1.). Railroad code in SEPRR1 must not be the same code as SEPRR2, SEPRR3 or SEPRR4 IF SEPRR1 is not blank, then SEPIND must be "1" (Yes) IF SEPRR1 is blank, then SEPIND must be "2" (No)
1.7	SepRr2	Specify RR Code of Other Railroads that Operate Separate Track	If specified, then it must be a valid Railroad Code and found in the FRA Railroad Reference table	Related Fields: RAILROAD, SEPIND and SEPRR2 Railroad code in SEPRR2 must not be the same code as the Primary Operating Railroad (fieldI.1.). Railroad code in SEPRR2 must not be the same code as SEPRR1, SEPRR3 or SEPRR4 IF SEPRR2 is not blank, then SEPIND must be "1" (Yes)
1.7	SepRr3	Specify RR Code of Other Railroads that Operate Separate Track	If specified, then it must be a valid Railroad Code and found in the FRA Railroad Reference table	Related Fields: RAILROAD, SEPIND and SEPRR3 Railroad code in SEPRR3 must not be the same code as the Primary Operating Railroad (field I.1.). Railroad code in SEPRR3 must not be the same code as SEPRR1, SEPRR2 or SEPRR4 IF SEPRR3 is not blank, then SEPIND must be "1" (Yes)

Bo	ox No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on	n Form				(Relationship of Two or More Data items)
61	L80.71				

1.7	SepRr4	Specify RR Code of Other Railroads that Operate Separate Track	If specified, then it must be a valid Railroad Code and found in the FRA Railroad Reference table	Related Fields: RAILROAD, SEPIND and SEPRR4 Railroad code in SEPRR4 must not be the same code as the Primary Operating Railroad (field I.1.). Railroad code in SEPRR4 must not be the same code as SEPRR1, SEPRR2 or SEPRR3 IF SEPRR4 is not blank, then SEPIND must be "1" (Yes)
1.8.	SameInd	Do other RRs Operate Over Your Track at Crossing?	1 = Yes 2 = No	Related Fields: REASON, SAMEIND and SAMERR
1.8	SameRr1	Specify RR Code(s) of Other Railroads that Operate Over Your Track at Crossing	If specified, then it must be a valid Railroad Code and found in the FRA Railroad Reference table	Related Fields: RAILROAD, SAMEIND and SAMERR1 Railroad code in SAMERR1 must not be the same code as the Primary Operating Railroad (field I.1.) Railroad code in SAMERR1 must not be the same code as SAMERR2, SAMERR3 or SAMERR4 IF SAMERR1 is not blank, then SAMEIND must be "1" (Yes) IF SAMERR1 is blank, then SEPIND must be "2" (No)

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

1.8	SameRr2	Specify RR Code(s) of Other Railroads that Operate Over Your Track at Crossing	If specified, then it must be a valid Railroad Code and found in the FRA Railroad Reference table	Related Fields: RAILROAD, SAMEIND and SAMERR2 Railroad code in SAMERR2 must not be the same code as the Primary Operating Railroad (fieldI.1.) Railroad code in SAMERR2 must not be the same code as SAMERR1, SAMERR3 or SAMERR4 IF SAMERR2 is not blank, then SAMEIND must be "1" (Yes)
1.8	SameRr3	Specify RR Code(s) of Other Railroads that Operate Over Your Track at Crossing	If specified, then it must be a valid Railroad Code and found in the FRA Railroad Reference table	Related Fields: RAILROAD, SAMEIND and SAMERR3 Railroad code in SAMERR3 must not be the same code as the Primary Operating Railroad (field I.1.) Railroad code in SAMERR3 must not be the same code as SAMERR1, SAMERR2 or SAMERR4 IF SAMERR3 is not blank, then SAMEIND must be "1" (Yes)
1.8	SameRr4	Specify RR Code(s) of Other Railroads that Operate Over Your Track at Crossing	If specified, then it must be a valid Railroad Code and found in the FRA Railroad Reference table	Related Fields: RAILROAD, and SAMERR4 Railroad code in SAMERR4 must not be the same code as the Primary Operating Railroad (field I.1.) Railroad code in SAMERR4 must not be the same code as SAMERR1, SAMERR2 or SAMERR3 IF SAMERR4 is not blank, then SAMEIND must be "1" (Yes)
1.9	RrDiv	Railroad Division or Region	Any Alphanumeric Data	

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

I.10	RrSubDiv	Railroad	Any Alphanumeric Data	
		Subdivision or		
		District		
1.11	Branch	Branch or Line	Any Alphanumeric Data	
		Name		
I.12.	PrfxMilePost	RR Milepost Prefix	Valid value: one to three alphanumeric characters or blank	
I.12.	MilePost	RR Milepost	Must be a numeric and the acceptable format is:	
			NNNN.NNN (with explicit decimal point)	
1.12	SfxMilePost	RR Milepost Suffix	Valid value: one to three alphanumeric characters or blank	
I.13	RrID	Line Segment	Any Alphanumeric Data	
I.14	TtstnNam	Nearest RR	If specified, then it must be in FRA Timetable	
		<b>Timetable Station</b>	Station Reference Table	
		Name		
I.15	RrMain	Parent RR	If specified, then it must be a valid Railroad Code and found	
			in the FRA Railroad Reference table	
I.16	XingOwnr	Crossing Owner	If specified, then it must be a valid Railroad or Company	
			Code. It must be in FRA Railroad Reference table or Company	
			Code.	

Box No	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Forr	ו			(Relationship of Two or More Data items)
6180.7				

1.17	TypeXing	Crossing Type	2 = Private 3 = Public	Related Fields: POSXING, XPURPOSE, HWYCONT If Crossing Type (TYPEXING) is '3' (Public), Position of a Crossing (POSXING) is '1' (At Grade), and Crossing Purpose (XPURPOSE) is '1' (Highway), then Parts I – II data items must be specified (except for I.20). If Crossing Type (TYPEXING) is '2' (Private), then Parts I – II data items must be specified. If Type of Crossing (TYPEXING) is '3' (Public), Position of a Crossing (POSXING) is '1' (At Grade) and Crossing Purpose (XPURPOSE) is '2' (Pathway, Pedestrian), then Parts I – II data items must be specified (except for I.20). Parts II –V are not required for Grade- Separated (RR Under and RR Over) crossings. If Type of Crossing (TYPEXING) is '3', then HWYCONT must contain a value and vice- versa.
I.18	XPurpose	Crossing Purpose	1 = Highway 2 = Pathway, Pedestrian 3 = Station, Pedestrian	
l.19	PosXing	Crossing Position	1 = At Grade 2 = RR Under 3 = RR Over	
1.20	OpenPub	Public Access	1 = Yes 2 = No	Related Fields: TYPEXING, POSXING If Type of Crossing is Private at-grade (TYPEXING=2, POSXING=1), then Public Access (OPENPUB) must not be blank

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

1.21	TypeTrnSrvcIDs	Type of Train	0 = None 11 = Freight 12 = Intercity Passenger 13 = Commuter 14 = Transit 15 = Shared Use Transit 16 = Tourist/Other	Related Fields SEPRR (I.7), SAMERR (1.8) If ATK (Amtrak) is being specified as Other Railroad Operates a Separate Track (SEPRR) or ATK is being specified as Other Railroad Operates over your track (SAMERR), then code "12" (Intercity Passenger) must be present for Type of Train Service (TYPETRNSRVC)
1.22	Lt1PassMov	Less Than One Average Passenger Train Count Per Day?	1 = Less than One Average Passenger Train Movement Per Day 2 = Number per Day	Related Fields: TYPETRNSRVCIDS, PASSCNT If Less Than One Average Passenger Train Count Per Day is 'Yes' (LT1PASSMOV=1), then the Number Per Day (PASSCNT) must be 0. If Less Than One Average Passenger Train Count Per Day is 'No' (LT1PASSMOV=2), then the Number Per Day (PASSCNT) must be greater than 0. If Less Than One Average Passenger Train Count Per Day is 'Yes' (LT1PASSMOV=1), then Type of Train Service (TYPETRNSRVC) must show all or any of these codes: '12', '13', '14' and/or '15'.

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

1.22	PassCnt	Number Per Day	Valid value: 0 to 999	Related Fields: LT1PASSMOV, DAYTHRU, NGHTTHRU, TOTALSWT, TOTALLTR The number of trains (PASSCNT) must be 0, if less than 1 train per day is 'Yes' (LT1PASSMOV=Y) The number of trains (PASSCNT) must be greater than 0, if less than 1 train per day is 'No' Passenger train movements (PASSCNT) must be less than or equal to the sum of Total Day Thru (DAYTHRU), Total Night Thru (NGHTTHRU), Total Switching (TOTALSWT), and Total Transit (TOTALLTR).
1.23	DevelTypID	Type of Land Use	11 = Open Space 12 = Residential 13 = Commercial 14 = Industrial 15 = Institutional 16 = Farm 17 = Recreational 18 = RR Yard	
1.24	XingAdj	Is there an Adjacent Crossing with a Separate Number?	1 = Yes 2 = No	Related Fields: XNGADJNO If value is "1" (Yes), then crossing number (XNGADJNO) must not be blank If value is "2" (No), then crossing number (XNGADJNO) must be blank
1.24	XngAdjNo	If Yes, Provide Crossing Number	Must be valid crossing number	Related Fields XINGADJ If not blank, then (XINGADJ) must equal "Yes" If blank, then (XINGADJ) must not equal "Yes"

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

1.25	WhistBan	Quiet Zone (FRA	0 = No	
		Provided)	1 = 24 hr	
			2 = Partial	
			3 = Chicago Excused	
1.25	WhistDate			Related Fields: WHISTBAN Date must be specified if Quiet Zone (WHISTBAN) is 1,
		Date Established	Date Established Format: MM/DD/YYYY	2, or 3
1.26	SfxHscoRrid	HSR Corridor ID Suffix	Rail-Section Identifier (numeric 1-9) or use 'X' if numeric not used.	
1.26	HscoRrid	HSR Corridor ID	The three alpha characters must be in FRA High Speed Corridor Reference Table (FRA Inventory Guide, Appendix F). The 4th character is specified in the above row for HSR Corridor ID Suffix (SfxHscoRrid). The system accepts both -1 or N/A, to indicate HSR Corridor ID is "N/A".	
1.27	Latitude	Latitude in decimal degrees (max 10 char., WGS84 std nn.nnnnnn)	Latitude coordinates must in decimal degrees. Valid Format: NN.NNNNNN (with explicit decimal point) Latitude Degrees must be 24 to 49. For the State of Alaska it must be 50 to 71. Latitude values will be acceptable between 5 to 7 digits after the decimal point.	Related Fields: STATE, LONGITUDE and LLSOURCE Corresponding LLSOURCE must be entered Lower and Upper Latitude Degrees (whole number section) for the specified STATE must in FRA Latitude/Longitude Reference Table
1.28	Longitude	Longitude in decimal degrees (max 11 char., WGS84 std - nnn.nnnnnn)	Longitude Coordinate must in decimal degrees. Valid Format: NN.NNNNNN (with explicit decimal point) Longitude Degrees must be - 66 to -124. For the State of Alaska it must be -165 to 1132 Longitude values will be acceptable between 5 to 7 digits after the decimal point.	Related Fields: STATE, LATITUDE and LLSOURCE Corresponding LLSOURCE must be entered Lower and Upper limits of Longitude Degrees (whole number section) for the specified STATE must in FRA Latitude/Longitude Reference Table

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

1.29	LLsource	Latitude/Longitud e Source	1 = Actual 2 = Estimated	LLSOURCE must be specified Latitude/Longitude data changes. If Latitude/Longitude values for an existing crossing in the National Crossing Inventory database is actual reading (LLSOURCE=1) and the submitted Latitude/Longitude values are estimate values (LLSOURCE = 2 or Blank), then the submitted latitude/longitude values will not be accepted.
I.30.A	RrNarr1	Railroad Use	Railroad Use	
I.30.B	RrNarr2	Railroad Use	Railroad Use	
1.30.C	RrNarr3	Railroad Use	Railroad Use	
I.30.D	RrNarr4	Railroad Use	Railroad Use	
I.31.A	StNarr1	State Use	State Use	
I.31.B	StNarr2	State Use	State Use	
I.31.C	StNarr3	State Use	State Use	
I.31.D	StNarr4	State Use	State Use	
1.32.A	RrNarr	Railroad Narrative	Railroad Narrative	
I.32.B	StNarr	State Narrative	State Narrative	
1.33	PolCont	Emergency Notification Telephone No. (Posted)	Must be numeric (area code and phone number) with no hyphens or parenthesis between area code and phone number	Related Field: ENSSIGN (III.2.1) POLCONT (I. 33) If Sign is Displayed (ENSSIGN= 1), then Emergency Notification Telephone No. (POLCONT) must not be blank.
1.34	RrCont	Railroad Contact (Telephone No.)	Must be numeric (area code and phone number) with no hyphens or parenthesis between area code and phone number	

Federal Railroad Administration Highway-Rail Crossing Division

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

1.35	HwyCont	State Contact	Must be numeric (area code and phone number) with no	
		(Telephone No.)	hyphens or parenthesis between area code and phone number	
II.1.A	DayThru	Total Day Thru Trains (6 AM to 6 PM)	Valid value: 0 to 500	Related Fields: NGHTTHRU, TOTALSWT, TOTALLTR, LT1MOV, MAINTRK, SIDINGTRK, YARDTRK, TRANSITTRK, INDUSTRYTRK If the sum of Day Thru (DAYTHRU) and Night Thru (NIGHTTHRU) is greater than 0, then the sum of Main (MAINTRK), Siding (SIDINGTRK), Yard (YARDTRK), Transit (TRANSITTRK), and Industry (INDUSTRYTRK) must be greater than 0.
II.1.B	NghtThru	Total Night Thru Trains (6 PM to 6AM)	Valid value: 0 to 500	Related Fields: DAYTHRU, TOTALSWT, TOTALLTR, LT1MOV, MAINTRK, SIDINGTRK, YARDTRK, TRANSITTRK, INDUSTRYTRK If the sum of Day Thru (DAYTHRU) and Night Thru (NIGHTTHRU) is greater than 0, then the sum of Main (MAINTRK), Siding (SIDINGTRK), Yard (YARDTRK), Transit (TRANSITTRK), and Industry
II.1.C	TotalSwt	Total Switching Trains (6 AM to 6 PM)	Valid value: 0 to 500	(INDUSTRYTRK) must be greater than 0. Related Fields: DAYTHRU, NGHTTHRU, TOTALSWT, LT1MOV
II.1.D	TotalLtr	Total Transit Trains	Valid value: 0 to 500	Related Fields: DAYTHRU, NGHTTHRU, TOTALSWT, LT1MOV

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

II.1.E	Lt1Mov	Check if Less Than One Movement Per Day	1 = Less Than One Movement Per Day 2 = One or More Movements Per Day	Related Fields: DAYTHRU, NGHTTHRU, TOTALSWT, TOTALLTR, LT1MOV If Daily Train Movement count is Less Than One Movement Per Day (LT1MOV=1), then the sum of DAYTHRU, NGHTTHRU, TOTALSWT and TOTALLTR must be 0. If Daily Train Movement count is not Less Than One Movement Per Day (LT1MOV=2), then the sum of DAYTHRU, NGHTTHRU, TOTALSWT and TOTALLTR must greater than 0. If the sum of DAYTHRU, NGHTTHRU, TOTALSWT and TOTALLTR is 0, then How many trains per week (WEEKTRNMOV) must be greater than 0 or vice-versa (for ReasonID = 24 (No
	WeekTrnMey	How many trains	Validualue: 0 to 000	Train Traffic), WEEKTRNMOV can be 0.) Related Fields: LT1MOV
II.1.E	WeekTrnMov	How many trains per week?	Valid value: 0 to 999	If Daily Train Movement count is Less Than One Movement Per Day (LT1MOV=1), then How many trains per week (WEEKTRNMOV) must be greater than 0 or vice-versa (for ReasonID = 24 (No Train Traffic), WEEKTRNMOV can be 0.)
11.2	YearTrnMov	Year of Train Count Data	Must be current year of update (YYYY)	Year must be equal to current year if any changes have been made to train counts
II.3.A	MaxTtSpd	Maximum Timetable Speed	Valid value: 1-150 (mph) (Valid value 0 when Reason for Update is No Train Traffic)	Related Fields: MINSPD, MAXSPD Valid value range is 1 through 150 (Valid value 0 when Reason for Update is No Train Traffic)

Federal Railroad Administration Highway-Rail Crossing Division

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

II.3.B	MinSpd	Typical Speed Range Over	Valid value: 1-150 (mph) (Valid value 0 when Reason for Update is No Train Traffic)	Related Fields: MAXTTSPD, MAXSPD
		Crossing (mph)		Value should be less than or equal to
		From		MAXSPD
				Value should be less or equal to MAXTTSPD
II.3.B	MaxSpd	Typical Speed	Valid value: 1-150 (mph) (Valid value 0 when	Related Fields: MINSPD, MAXTTSPD
		Range Over	Reason for Update is No Train Traffic)	
		Crossing (mph) To		Value should be greater than or equal to
				MINSPD
				Value should be less or equal to MAXTTSPD
11.4	MainTrk	Main	Valid value range is 0 through 99	Related Fields: MAINTRK, SIDINGTRK,
				YARDTRK, TRANSITTRK, INDUSTRYTRK,
				DAYTHRU, NGHTTHRU, XSURFACEIDS If
				multiple types of Crossing Surfaces
				(XSURFACEIDS) are selected, then Main
				Track (MAINTRK) must be greater than or
				equal to the number of types of crossing
				surfaces ids. If Through Train Movement
				count (DAYTHRU + NIGTTHRU) is greater
				than 0 (Zero), then the sum of the values in
				II.4 Type and Count of Tracks (MAINTRK,
				SIDINGTRK, YARDTRK, TRANSITTRK, and
				INDUSTRYTRK) must also be greater than 0
				(Zero).
11.4	SidingTrk	Siding	Valid value range is 0 through 99	
II.4	YardTrk	Yard	Valid value range is 0 through 99	
11.4	TransitTrk	Transit	Valid value range is 0 through 99	
11.4	IndustryTrk	Industry	Valid value range is 0 through 99	

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

11.5	SpsellDs	Train Detection	0 = None	
		(Main Track Only)	11 = Constant Warning Time	
			12 = Motion Detection	
			14 = Other	
			16 = AFO	
			17 = PTC	
			18 = DC	
II.6	Sgnleqp	Is Track Signaled	1 = Yes	
			2 = No	
II.7.A	EMonitorDvce	Event Recorder	1 = Yes	
			2 = No	
II.7.B	HealthMonitor	Remote Health	1 = Yes 2 = No	
		Monitoring		
III.1	NoSigns	Are there Signs or	1 = Yes (At least one sign or signal at crossing)	
		Signals?	2 = No (No signs or signals at crossing)	
III.2.A	XBuck	Crossbuck	Valid value: 0 to 99	
		Assemblies (count)		
III.2.B	StopStd	Stop Signs (R1-1)	Valid value: 0 to 9	
III.2.C	YieldStd	Yield Signs (R1-2)	Valid value: 0 to 9	
III.2.D	AdvWarn	Advance Warning	Provide codes all that apply:	
		Signs	1 = W10-1	
			2 = W10-2	
			3 = W10-3	
			4 = W10-4	
			11 = W10-11	
			12 = W10-12	
			0 = None	

Federal Railroad Administration Highway-Rail Crossing Division

Вох	«No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on	Form				(Relationship of Two or More Data items)
618	80.71				

III.2.D	AdvW10_1	Advance Warning Signs (W10-1)	Valid Value: 1 to 9	Related fields: ADVWARN
				If Advance Warning Signs (ADVWARN) shows
				code '1', then the count of units for Advance
				Warning Signs W10-1 must be greater than 0
				or vice-versa.
III.2.D	AdvW10_2	Advance Warning Signs (W10-2)	Valid Value: 1 to 9	Related fields: ADVWARN
				If Advance Warning Signs (ADVWARN) shows code '2', then the count of units for Advance
				Warning Signs W10-2 must be greater than 0
				or vice-versa.
III.2.D	AdvW10_3	Advance Warning Signs (W10-3)	Valid Value: 1 to 9	Related fields: ADVWARN
				If Advance Warning Signs (ADVWARN) shows
				code '3', then the count of units for Advance
				Warning Signs W10-3 must be greater than 0
				or vice-versa.
III.2.D	AdvW10_4	Advance Warning Signs (W10-4)	Valid Value: 1 to 9	Related fields: ADVWARN
				If Advance Warning Signs (ADVWARN) shows
				code '4', then the count of units for Advance
				Warning Signs W10-4 must be greater than 0
				or vice-versa.
III.2.D	AdvW10_11	Advance Warning Signs (W10-11)	Valid Value: 1 to 9	Related fields: ADVWARN
				If Advance Warning Signs (ADVWARN)
				shows code '11', then the count of units for
				Advance Warning Signs W10-11 must be
				greater than 0 or vice-versa.

Federal Railroad Administration Highway-Rail Crossing Division

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

III.2.D	AdvW10_12	Advance Warning	Valid Value: 1 to 9	Related fields: ADVWARN If Advance
		Signs (W10-12)		Warning Signs (ADVWARN) shows code '12',
				then the count of units for Advance Warning
				Signs W10-12 must be greater than 0 or vice-
				versa.
III.2.E	Low_Grnd	Low Ground	1 = Yes	
		Clearance Signs	2 = No	
		(W10-5)		
III.2.E	Low_GrndSigns	Low Ground		
		Clearance Signs		
		(W10-5) count		
III.2.F	PaveMrkIDs	Pavement	0 = None	Related Field: HWYPVED (IV. 2)
		Markings	1 = Stop Lines	
			2 = RR Xing Symbols	If Highway Paved (HWYPVED) is 2 (No), then
			3 = Dynamic Envelope	Pavement Marking (PAVEMRKIDS) must be 0
				(None).
				If Highway Paved (HWYPVED) is 1 (Yes), then
				Pavement Marking (PAVEMRKIDS) code
				must be 1, 2, and/or 3 (multiselection
				excluding '0'.)
III.2.G	Channel	Channelization	1 = All Approaches	
		Devices	2 = One Approach	
			3 = Median – All Approaches	
			4 = Median – One Approach 5 = None	
III.2.H	Exempt	Exempt (R15-3)	1 = Yes, crossing is exempt	
			2 = No, crossing is not exempt	
111.2.1	EnsSign	ENS Sign Displayed	1 = Yes	
		(I-13)	2 = No	
III.2.J	OthSgn	Other MUTCD	1 = Yes	
		Signs	2 = No	

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

III.2.J	OthSgn1	Other MUTCD Signs: Count	Valid Value: 1 to 99	Related fields: OTHSGN, OTHDES1
III.2.J	OthDes1	Specify Type	For API submissions, the value to submit for OthDes1, should be from the values returned as "ID" from /MasterWebService/SecureAPI/gcis/v1/odata/Lookups?\$filte r=LookupType eq 'MUTCD'&token=For Excel submissions, "Specify Type" can be selected from the "Specify Type 1" drop down found in the FRA Excel Template, under III.2.J. Other MUTCD Signs.	Related fields: OTHSGN, OTHSGN1 If Other Signs Count (OTHSGN1) is greater than 0, then Other Sign Description (OTHDES1) must not be blank or vice-versa (If Other Sings Count is 0, then Other Sign Description must be blank).
III.2.J	OthSgn2	Other MUTCD Signs: Count	Valid Value: 1 to 99	Related fields: OTHSGN, OTHDES2
III.2.J	OthDes2	Specify Type	For API submissions, the value to submit for OthDes2, should be from the values returned as "ID" from /MasterWebService/SecureAPI/gcis/v1/odata/Lookups?\$filte r=LookupType eq 'MUTCD'&token= For Excel submissions, "Specify Type" can be selected from the "Specify Type 2" drop down found in the FRA Excel Template, under III.2.J. Other MUTCD Signs.	Related fields: OTHSGN, OTHSGN2 If Other Signs Count (OTHSGN2) is greater than 0, then Other Sign Descriptions (OTHDES2) must not be blank or vice-versa.
III.2.J	OthSgn3	Other MUTCD Signs: Count	Valid Value: 1 to 99	Related fields: OTHSGN, OTHDES3
III.2.J	OthDes3	Specify Type	For API submissions, the value to submit for OthDes3, should be from the values returned as "ID" from /MasterWebService/SecureAPI/gcis/v1/odata/Lookups?\$filte r=LookupType eq 'MUTCD'&token= For Excel submissions, "Specify Type" can be selected from the "Specify Type 3" drop down found in the FRA Excel Template, under III.2.J. Other MUTCD Signs.	Related fields: OTHSGN, OTHSGN3 If Other Signs Count (OTHSGN3) is greater than 0, then Other Sing Descriptions (OTHDES3) must not be blank or vice-versa.

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

Ш.2.К	PrvxSign	Private Crossing Signs	1 = Yes 2 = No Blank if Type of Crossing is Public	Related Fields: TYPEXING If Type of Crossing is Private (TYPEXINX = 2), then Private Crossing Signs (PRVXSIGN) must be '1' (Private Crossing Sign Installed) or "2" (Private Crossing signs not installed) If Private Crossing Signs is "1" or "2", then Type of Crossing (TYPEXING) cannot be Public (3) If Type of Crossing (TYPEXING) is Public, then Private Crossing (PRVXSIGN) Signs must be blank.
III.2.L	Led	LED Enhanced Signs	Any Alphanumeric Description	
III.3.A	Gates	Gate Arms: Roadway	Valid Value: 0 to 99	Related fields: TYPEXING, POSXING, XPURPOSE, NOSIGNS, WDCODE and GATECONF
III.3.A	GatePed	Gate Arms: Pedestrian	Valid Value: 0 to 99	
III.3.B	GateConf	Gate Configuration	1 = 2 Quad 2 = 3 Quad 3 = 4 Quad	Related fields: GATES (Roadway), TYPEXING, POSXING and XPURPOSE. Gate Roadway (GATES) must be greater than 0 If Gate Configuration (GATECONF) is not blank.
III.3.B	GateConfType	Gate Configuration Type	4 = Full (Barrier) Resistance 6 = Median Gates	

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

III.3.C	FlashOv	Cantilevered (or Bridged) Flashing Light Structures: Over Traffic Lane	Valid Value: 0 to 9	Related fields: NOSIGNS, FLASHNOV, CFLASHTYPE If Type of Cantilevered of Flashing Light Structure Code (CFLASHTYPE) is "1" or "2",
				then the sum of Cantilevered Flashing Light Structures Count Over Traffic Lane and Count Not Over Traffic Lane (FLASHOV + FLASHNOV) must greater than 0.
III.3.C	FlashNov	Cantilevered (or Bridged) Flashing Light Structures: Not Over Traffic Lane	Valid Value: 0 to 9	Related fields: NOSIGNS, FLASHOV, CFLASHTYPE If Type of Cantilevered of Flashing Light Structure Code (CFLASHTYPE) is "1" or "2", then the sum of Cantilevered Flashing Light Structures Count Over Traffic Lane and Count Not Over Traffic Lane (FLASHOV + FLASHNOV) must greater than 0.
III.3.C	CFlashType	Cantilevered (or Bridged) Flashing Light Structures (Type)	0 = None 1 = Incandescent 2 = LED	Related fields: FLASHOV, FLASHNOV If Cantilevered Flashing Light Structures Counts (FLASHOV or FLASHNOV) is greater than 0, then Type of Cantilevered of Flashing Light Structures (CFLASHTYPE) must be "1" or "2".

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

III.3.D	FlashPost	Mast Mounted Flashing Lights (count of masts)	Valid Value: 0 to 9	Related fields: NOSIGNS, FLASHPOSTTYPE and BKL_FLASHPOST If Type of Mast Mounted Flashing Lights Code (FLASHPOSTTYPE) is "1" or "2" or the
				Code to indicate Backlights are included (BKL_FLASHPOST) is "1" (Yes), then the number of Mast Mounted Flashing Lights must be greater than 0.
III.3.D	FlashPostType	Mast Mounted Flashing Lights (Type)	0 = None 1 = Incandescent 2 = LED	Related fields: NOSIGNS, FLASHPOST, BKL_FLASHPOST If the number of Mast Mounted Flashing Lights (FLASHPOST) is greater than 0, then the Type of Mast Mounted Flashing Lights (CFLASHTYPE) must be "1" or "2".
III.3.D	Bkl_FlashPost	Mast Mounted Flashing Lights: Back Lights Included	1 = Yes 2 = No	Related fields: NOSIGNS, FLASHPOST If the number of Mast Mounted Flashing Lights (FLASHPOST) is greater than 0, then the Code to indicate Back Lights are included (BKL_FLASHPOST) must be "1" or "2".
III.3.D	Sdl_FlashPost	Mast Mounted Flashing Lights: Side Lights Included	1 = Yes 2 = No	Related fields: NOSIGNS, FLASHPOST If the number of Mast Mounted Flashing Lights (FLASHPOST) is greater than 0, then the Code to indicate Side Lights are included (SDL_FLASHPOST) must be "1" or "2".
III.3.E	FlashPai	Total Count of Flashing Light Pairs	Valid Value: 0 to 99	Related fields: NOSIGNS

**FRA Instructions for Electronic Submission of U.S. DOT Crossing Inventory Data** GCIS v3.2.0 - Document Revision Date: 06/09/2022

Γ	Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
	on Form				(Relationship of Two or More Data items)
	6180.71				

III.3.F	AwdIDate	Installation Date	Valid electronic submission format for Month and Year:	Related fields: REASONID,
		of Current Active	MM/YYYY. Optional for active warning devices installed	GATES, GATEPED, FLASHOV,
		Warning Devices	before Effective Date of Final Rule.	FLASHNOV, FLASHPOST, FLASHPAI ,
			API Submissions: a code of "-1" indicates "Not Required". Excel Uploads: "N/A" indicates "Not Required").	FLASHOTH, HWYTRAFSIGNL, BELLS
				Month and Year must be provided if there
				were changes in Warning Devices installed
				or upgraded at a public highway-rail grade crossing after March 7, 2015.
				If REASONID is '15' (New Crossing) and the
				sum of Roadway Gate Arms (GATES), Gates Pedestrian (GATESPED), Flashing Lights
				Over Traffic Lane (FLASHOV), Flashing
				Lights Not Over Traffic Lane (FLASHNOV),
				Mast Mounted Flashing Lights
				(FLASHPOST), Total Count of Flashing Light Pairs (FLASHPAI), Other Flashing Lights or
				Warning Devices (FLASHOTH), and Bells
				(BELLS) is equal to 0; and Highway Traffic
				Signals Controlling
				Crossing (HWYTRAFSIGNL) is No (2), then "-
				1" (Not Required) must be submitted in API,
				or N/A in Excel Template) for AWDIDATE.
III.3.G	AwhornChk	Wayside Horn	1 = Yes	Related Field: AWHORNLDATE
			2 = No	
III.3.G	AwhornIDate	Wayside Horn	Valid electronic submission format for Month and Year:	Related Field: AWHORNCHK
		Installed On	MM/YYYY.	If Maysida Harp (AM/HORNCHW) is "1"
				If Wayside Horn (AWHORNCHK) is "1" (Yes), then Installation Date of Wayside Horn
				must not be blank

Box N	o. Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Fo	m			(Relationship of Two or More Data items)
6180.	1			

III.3.H	HwyTrafSignl	Highway Traffic Signals Controlling Crossing	1 = Yes 2 = No	Related fields: NOSIGNS, WDCODE
III.3.I	Bells	Bells	Valid Value: 0 to 9	Related fields: NOSIGNS, WDCODE
III.3.J	SpecPro	Non-Train Active Warning	0 = None 1 = Flagging/Flagman 2 = Manually Operated Signals 3 = Watchman 4 = Floodlighting	Related fields: NOSIGNS, WDCODE
III.3.K	FlashOth	Other Flashing Lights or Warning Devices: Count	Valid Value: 0 to 9	Related Fields: FLASHOTHDES, WDCODE
III.3.K	FlashOthDes	Other Flashing Lights or Warning Devices: Specify Type	Any Alphanumeric Description	Related Fields: FLASHOTH, WDCODE If Other Flashing lights is greater than 0 then Specify must not be blank or vice-versa.
III.4.A	HwynrSig	Does Nearby Hwy Intersection have Traffic Signal?	1 = Yes 2 = No	

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

III.4.B	Intrprmp	Hwy Traffic Signal Interconnection	1 = Not Interconnected 2 = For Traffic Signals 3 = For Warning Signs	If Does Nearby Hwy Intersection have Traffic Signal (HWYNRSIG) is "2" (No), then Hwy Traffic Signal Interconnection (INTRPRMP)
			"1" must not be specified should Codes "2" and/or "3" be specified.	must be "1".
				If Does Nearby Hwy Intersection have Traffic Signal (HWYNRSIG) is "1" (Yes), then Hwy Traffic Signal Interconnection (INTRPRMP) must be "1", "2" and/or "3".
				GCIS automatically sets Intrprmp to "1" if HwynrSig is "2", and then automatically clears out any value in Premptype.
III.4.C	PrempType	Highway Traffic Signal Preemption	1 = Simultaneous 2 = Advance	If Does Nearby Hwy Intersection have Traffic Signal (HWYNRSIG) is "1" (Yes) and Hwy Traffic Signal Interconnection (INTRPRMP) is "2" and/or "3", then Highway Traffic Signal Preemption (PREMPTYPE) must be "1" or "2". If INTRPRMP is 1 (Not Interconnected), then GCIS automatically clears out PrempType.
III.5	HwtrfPsig	Highway Traffic	1 = Yes	
111.5	HwtrfPsigsdis	Pre-Signals Highway Traffic Pre-Signals – Storage Distance	2 = No Optional value if HwtrfPsig is "YES" (0 to 99)	Related Field: HWTRF_PSIG

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

III.5	HwtrfPsigIndis	Highway Traffic Pre-Signals – Stop	Optional value if HwtrfPsig is "YES" (0 to 99)	Related Fields: HWTRF_PSIG, GATES
		Line Distance		If Roadway Gate Arms (GATES) is 0, then
				Highway Traffic Pre-Signals Stop Line
				Distance (HWTRF_PSIGLNDIS) must be blank.
III.6	MonitorDev	Highway	0 = None	
		Monitoring	1 = Yes-Photo/Video Recording	
		Devices	2 = Yes-Vehicle Presence Detection	
IV.1	TraficLn	Traffic Lanes	Valid Value: 0 to 9	Related Field: TRAFLNTYPE
		Crossing Railroad:		
		Number of Lanes		If type of Traffic Lanes type (TRAFLNTYPE) is
				not blank, then Traffic Lanes (TRAFICLN)
				must be greater than 0
IV.1	TrafInType	Traffic Lanes	1 = One-way Traffic	Related Field: TRAFICLN
		Crossing Railroad –	2 = Two-way Traffic	
		Туре	3 = Divided Traffic	If Traffic Lanes (TRAFICLN) is greater than 0,
				then type of Traffic Lanes type
				(TRAFLNTYPE) must not be blank.
IV.2	HwyPved	Is Roadway/ Pathway Paved?	1 = Yes 2 = No	Related Field: PAVEMRKIDS (III.2.F)
		,		If Pavement Marking (PAVEMRKIDS) is not
				blank, then Highway Paved (HWYPVED) must
				not be blank.
IV.3	Downst	Does Track Run	1 = Yes	
		Down a Street?	2 = No	
IV.4	Illumina	Is Crossing	1 = Yes	
		Illuminated?	2 = No	

Federal Railroad Administration Highway-Rail Crossing Division

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

IV.5	XSurfDate	Crossing Surface:	Valid electronic submission format: MM/YYYY.	Related fields: INIT, XSURFACEIDS, MAINTRK
		Installation Date		If Reporting Agency (INIT) is Railroad and
				Crossing Surface has been changed, then
				Crossing Surface Effective Date (XSURFDATE)
				must be specified.
IV.5	XSurfWidth	Crossing Surface:	Optional or 4-999 Feet (Feet Measurement)	Related fields: XSURFACEIDS,
		Width		XSURFLENGTH
IV.5	XSurfLength	Crossing Surface:	Optional or 3-999 Feet (Feet Measurement)	Related fields: XSURFACEIDS,
		Length		XSURFWIDTH, XSURFLENGTH
IV.5	XSurfaceIDs	Crossing Surface	11 = 1. Timber	Related fields: XSURFACEIDS,
		(on Main Track):	12 = 2. Asphalt	XSURFDATE, XSURFWIDTH, XSURFLENGTH,
		Туре	13 = 3. Asphalt and Timber	MAINTRK
			14 = 4. Concrete	
			15 = 5. Concrete and Rubber	If Crossing Surface (XSURFACEIDS) code is
			16 = 6. Rubber	20 (Other), then Description of Crossing
			17 = 7. Metal	Surface (XSUROTHR) must not be blank
			18 = 8. Unconsolidated	
			19 = 9. Composite 20 = 10. Other (specify)	
			Specify all codes that apply if there are multiple main line	
			tracks which have different type of surface.	
			Note: XSurfaceIDs only applies to II.4 Main	
			(and not Siding, Yard, Transit, and Industry)	
IV.5	XSurOthr	Crossing Surface	Open Text	Related fields: XSURFACEIDS
		for Other (specify)		
				If Crossing Surface Code is 20 (Other), then
				"XSUROTHR" must not be blank

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

IV.6	HwyNear	Intersecting Roadway within 500 feet?	1 = Yes 2 = No	Related Field: HWYNDIST If Approximate Intersecting Roadway distance (HWYNDIST) is greater than 0, then Intersecting Roadway within 500 feet (HWYNEAR) code must be 1 (YES). If Approximate Intersecting Roadway distance (HWYNDIST) is greater than 501, then Intersecting Roadway within 500 feet (HWYNEAR) code must be 2 (NO).
IV.6	HwynDist	If Yes, Approximate Distance (feet)	If Yes, Valid Value: 1-500 If No, Valid Value: 501-2500 or blank	Related Field: HWYNEAR If Intersecting Roadway within 500 feet (HWYNEAR) is 1 (YES), then Approximate Intersecting Roadway Distance (HWYNDIST) must be greater than 0 and less than 501. If Intersecting Roadway within 500 feet (HWYNEAR) is 2 (NO), then Approximate Intersecting Roadway Distance (HWYNDIST) must be greater than 500 and less than 2501, or blank.
IV.7	XAngle	Smallest Crossing Angle	1 = 0-29 degrees 2 = 30-59 degrees 3 = 60-90 degrees	
IV.8	ComPower	Is Commercial Power Available?	1 = Yes 2 = No	

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

V.1	HwySys	Highway System	1 = (01) Interstate Highway System	
			2 = (02) Other Nat Hwy System (NHS)	
			3 = (03) Federal Aid, Not NHS	
			8 = (08) Non-Federal Aid	
V.2	HwyClassCD	Functional	0 = (0) Rural	
		Classification of	1 = (1) Urban	
		Road at Crossing		
V.2	HwyClassrdtpID	Functional	11 = (1) Interstate	
		Classification of	12 = (2) Other Freeways and Expressways	
		Road at Crossing	13 = (3) Principal Arterial Other	
			16 = (4) Minor Arterial	
			17 = (5) Major Collector	
			18 = (6) Minor Collector	
			19 = (7) Local	
V.3	StHwy1	Is Crossing on	1 = Yes	
		State Highway	2 = No	
		System?		
V.4	HwySpeed	Highway Speed	0 to120 miles per hour	Related Field: HWYSPEED, HWYSPEEDPS
		Limit (MPH)		
				If Highway Speed Limit - Posted or Statutory
				(HWYSPEED) is greater than 0, then Highway
				Speed Limit Posted or Statutory must not be
				blank.
V.4	HwySpeedps	Highway Speed	1 = Posted 2 = Statutory	Related Field: HWYSPEEDPS If Highway
		Limit - Posted or		Speed Limit - Posted or Statutory
		Statutory		(HWYSPEED) is 1(YES), then Highway Speed
				Limit must be greater than 0.
V.5	LrsRouteid	Linear Referencing	Any Alphanumeric Description	
		System (LRS Route		
		ID)		
V.6	LrsMilePost	LRS Milepost	Any Alphanumeric Description	

GCIS v3.2.0 - Document Revision Date: 06/09/2022

Federal Railroad Administration Highway-Rail Crossing Division

Box No.	Field Name	Description	Single-field Data Validation Rules	Cross-field Data Validation Rules
on Form				(Relationship of Two or More Data items)
6180.71				

V.7	Aadt	Annual Average Daily Traffic (AADT)	Valid Values: 000001 - 999999	Related Field: AADTYEAR
V.7	AadtYear	AADT: Year	Valid Year Date Format: YYYY	Related Field: AADTYEAR
V.8	PctTruk	Estimated Percent Trucks	Valid Values: 0 to 99	
V.9	SchlBusChk	Regularly Used by School Buses?	1 = Yes 2 = No	Related Fields: SCHLBUSCNT If Average No. of School Buses Passing Over the Crossing (SCHLBUSCNT) is greater than 0, then Regularly Used by School Buses (SCHLBUSCHK) must be 1(Yes).
V.9	SchlBsCnt	Average No. of School Buses Passing Over the Crossing on a School Day	Valid Value: 0 to 999	Related Field: SCHLBUSCHK If Crossing is Regularly Used by School Buses (SCHLBUSCHK='1) then the number of School Buses (SCHLBUSCNT) must be greater than 0.
V.10	EmrgncySrvc	Emergency Services Route	1 = Yes 2 = No	

# **B-2: Business Rules Validations**

Table 5 - GCIS Business Rules Validations

Applies To	ID	Description	Definition
ALL	BRC101	Applies to ALL Submissions - Core Fields The submitted crossing data is validated to ensure that the core (required) fields necessary are present and that they contain the appropriate values. The core fields are specified in the electronic filing instructions.	If the submitted crossing data contains all of the core fields, rule is valid.
ALL	BRC102	Applies to ALL Submissions - Single Fields The submitted crossing data is validated to ensure that the values provided for each field are valid. Single field validations as specified in the electronic filing instructions.	If the submitted crossing data passes all single field validations, rule is valid.
ALL	BRC103	Applies to ALL Submissions - Cross Field The submitted crossing data is validated to ensure that the values across related fields are valid. Cross field validations as specified in the Appendix B-1: Single and Cross-field Validations table.	If the submitted crossing data passes all cross-field validations, rule is valid. For the list of cross field validations please use the Appendix B-1: Single and Cross-field Validations table.
ALL	BRC104	Applies to ALL Submissions - Existence of Crossing The DOT Crossing Inventory Number of the submitted crossing data is check against the National Crossing Inventory.	If the DOT Crossing Inventory Number of the submitted crossing data exists in the FRA National Crossing Inventory, then the crossing EXISTS; else the crossing is NEW.
ALL	BRC105	Applies to ALL Submissions - Initiating Agency The initiating agency will be determined based on the profile of the account used to submit the crossing data.	The submitter's account will be linked to the submission.
ALL	BRC106	Applies to ALL Submissions - Crossing Updates Submitted by two different users of the same agency If a different agency has submitted changes to the same crossing being submitted, then a confirmation is required. If a different agency does not address possible validation issues, the submitted changes on the crossing data may be over-written.	Upon receipt of the submitted crossing data, the DOT Crossing Number will be checked for other pending submissions which are updating common fields and both entities have different values, then both submissions will be Questionable for confirmation.

Applies	ID	Description	Definition
То			

ALL	BRC106.1	Applies to ALL Submissions - Multiple Agencies Filing Separately	If the crossing referenced in the submission exists in the National
		When multiple Agencies operate "THROUGH" the same crossing and	Crossing Inventory and the submitting agency was identified as a
		the submitting agency is not the Primary Operating Railroad then	"THROUGH" Operator (I.7) and the following fields are provided, then
		the only fields required are - Core Fields per electronic submissions	the submission is valid.
		guide and updates for any of the following items:	Must provide:
		>I.9 (Railroad Division or Region)	Core Fields per electronic submissions guide and any of the following
		>I.10 (Railroad Subdivision or District)	>I.9 (Railroad Division or Region)
		>I.12 (RR Milepost)	>I.10 (Railroad Subdivision or District)
		>II.1.A (Total Day Thru Trains)	>I.12 (RR Milepost)
		>II.1.B (Total Night Thru Trains)	>II.1.A (Total Day Thru Trains)
		>II.1.C (Total Switching Trains)	>II.1.B (Total Night Thru Trains)
		>II.1.D (Total Transit Trains)	>II.1.C (Total Switching Trains)
		>II.2 (Year of Train Count Data)	>II.1.D (Total Transit Trains)
		>II.3.A (Maximum Timetable Speed)	>II.2 (Year of Train Count Data)
		>II.3.B (Typical Speed Range Over Crossing (mph))	>II.3.A (Maximum Timetable Speed)
		Only rules associated with these fields will be applied (Single/Cross- field)	>II.3.B (Typical Speed Range Over Crossing (mph))
			If the referenced crossing is not found, then submission will be held
			until the Primary Operating Railroad submits their form.
ALL	BRC107	Applies to ALL Submissions - Publishing	All rules/validations must be valid. The submitting agency will be
		Crossing updates submitted to FRA must pass all rules/validations in	notified of the appropriate corrections needed.
		order to be posted to the National Crossing Inventory.	
NEW	BRN01	Applies to NEW Crossings - Who Can Report?	If the agency is a Railroad or Transit or the agency has been delegated
Crossing		The agency must be a Railroad or Transit, or have been delegated	reporting privileges from a Railroad, then New Submission are
-		reporting privileges from a Railroad.	allowed
NEW	BRN02	Applies to NEW Crossings - Public Highway Vehicle At-Grade	If the agency is a Railroad or the agency has been delegated reporting
Crossing		The agency must be a Railroad, or have been delegated reporting	privileges from a Railroad, then:
-		privileges from a Railroad and they must provide data for Header	If the Crossing Type is Public and the Crossing Purpose is Highway
		and Parts I-V of the form.	Vehicle and the Crossing Position is At Grade, all fields (per the Guide
			for Preparing U.S. DOT Crossing Inventory Forms) in Parts I - V of the
		Please review the Guide for Preparing U.S. DOT Crossing Inventory	form are required.
		Forms for the list of fields that are expected.	

FRA Instructions for Electronic Submission of U.S. DOT Crossing Inventory Data

GCIS v3.2.0 - Document Revision Date: 06/09/2022

Applies	ID	Description	Definition
То			

NEW	BRN03	Applies to NEW Crossings - Private Highway Vehicle At-Grade The	If the agency is a Railroad or the agency has been delegated reporting
Crossing		agency must be a railroad, or have been delegated reporting	privileges from a Railroad, then:
		responsibility from a railroad and they must provide data for the	If the Crossing Type is Private and the Crossing Purpose is Highway
		Header and Parts I-II of the form.	Vehicle and the Crossing Position is At Grade, all fields (per the Guide
		Please review the Guide for Preparing U.S. DOT Crossing Inventory	for Preparing U.S. DOT Crossing Inventory Forms) in the Header and
		Forms for the list of fields that are expected.	Parts I - II of the form are required.
NEW	BRN04	Applies to NEW Crossings - All Pedestrian	If the agency is a Railroad or the agency has been delegated reporting
Crossing		The agency must be a Railroad, or have been delegated reporting	privileges from a Railroad, then:
		privileges from a Railroad and they must provide data for Parts I-IV	If the Crossing Purpose is not Highway Vehicle, all fields (per the
		of the form.	Guide for Preparing U.S. DOT Crossing Inventory Forms) in Parts I - IV of the form are required.
		Please review the Guide for Preparing U.S. DOT Crossing Inventory	·
		Forms for the list of fields that are expected.	
NEW	BRN05	Applies to NEW Crossings - All Grade Separated	If the agency is a Railroad or the agency has been delegated reporting
Crossing		The agency must be a Railroad, or have been delegated reporting	privileges from a Railroad, then:
		privileges from a Railroad and they must provide data for Parts I of the form.	If the Crossing Position is not At Grade, all fields in Part I of the form are required.
		Please review the Guide for Preparing U.S. DOT Crossing Inventory	
		Forms for the list of fields that are expected.	
NEW	BRN06	Applies to Unreported NEW Crossings - Close Crossing	If the agency is a Railroad or the agency has been delegated reporting
Crossing		This rule provides the steps taken when a New Crossing is submitted	privileges from a Railroad, then:
Ũ		with the reason for update is equal to 'Closed'.	If the Reason for Update is either 'Closed', then all business rules
			associated with New Crossings are applicable. If all rules are met, a
			new (1) crossing record will be added to the National Crossing
			Inventory based on the form submitted.
EXISTING	BRE01	Applies to EXISTING Crossings - Select Record to Modify	From the National Crossing Inventory, select the most recent crossing
Crossing		This rule determines the appropriate National Crossing Inventory	record with the Revision Date less than or equal to the submitted
		Record that is being modified by the submitted crossing form. It also	crossing form's Revision Date.
		identifies the record to which the submitted changes will merged in	
		to.	

Applies	ID	Description	Definition
То			

EXISTING	BRE02	Applies to EXISTING Crossings - Update Responsibility	If the agency is a Railroad or the agency has been delegated reporting
Crossing	-	This rule determines agency's field responsibility based on the	privileges from a Railroad, then allow updates to Railroad fields, else if
		electronic submission instructions.	the agency is a State or the agency has been delegated reporting
			privileges from a State, then allow updates to State fields.
			Updates to fields not in the agency's purview will not be allowed.
EXISTING	BRE02.01	Applies to EXISTING Crossings - Delegate Reporting	If the agency has been given reporting privileges from the State and
Crossing		This rule determines agency's field responsibility based on the	Railroad for the submitted crossing, then allow update to all fields on
		electronic submission instructions have been delegate to the submitting agency.	the form
EXISTING Crossing	BRE03	Applies to EXISTING Crossings - Warning Device Upgrade (from Railroad)	If the agency is a Railroad or the agency has been delegated reporting privileges from a Railroad, then:
		This rule determines if the fields associated with a Warning Device	If the numeric crossing Warning Device WD Code on the submitted
		should be updated if the submitting agency is a Railroad and if it is	crossing form is greater than the FRA calculated WD numeric code
		upgrading the warning device on the crossing.	(based on the warning device fields that exists) in the most recent
			National Crossing Inventory record, then the Railroad agency will be
			allowed to update all Warning Device Fields (Part III of the Form).
	BRE03.01	Applies to EXISTING Crossings - Warning Device Downgrade (from	If the agency is a State or the agency has been delegated reporting
Crossing		State)	privileges from a State, then:
		This rule determines if a Warning Device Downgrade is being	If the FRA calculated WD numeric codes (based on the warning device
		submitted to the National Crossing Inventory record.	fields updates) in the submitted crossing data is less than the FRA
			calculated WD numeric code (based on the warning device fields that
			exists) in the most recent National Crossing Inventory record, then
			flag as Questionable.
EXISTING	BRE04	Applies to EXISTING Crossings - Operating RR Transfer (Accepted)	If the agency is a Railroad or the agency has been delegated reporting
Crossing		This rule determines if the submitting agency is the Primary	privileges from a Railroad, then:
		Operating	If the agency is the Primary Operating Railroad on the submitted
		Railroad and is transferring the ownership to another agency. Only	crossing data and the Reason for Update is Operating RR Transfer,
		the Primary Operating Railroad or designated agency is allowed to transfer ownership.	then the Primary Operating Railroad change will be allowed.

Applies	ID	Description	Definition
То			

EXISTING	BRE05	Applies to EXISTING Crossings - Changing Crossing Types	If the agency is a Railroad/State or the agency has been delegated
Crossing	DILLOS	This rule determines if the Crossing Type change meets the criteria	reporting privileges from a Railroad or State then:
Crossing		applicable to the Crossing Type.	Crossing Type updates will be accepted provided that the updated
			Crossing Type passes all applicable rules (BRN02, BRN03, BRN04).
EXISTING	DDEOG	Applies to EXISTING Crossings - Close an Open Crossing (Accepted)	If the Agency is a Railroad /State or the Agency has been delegated
	DREUO	This rule determines if the submitted crossing form will close an	reporting privileges from a Railroad /State, then:
Crossing		<b>o</b>	
		Open crossing in the National Crossing Inventory.	If the Reason for Update is Closed or Out-Service/Inactive or
			Abandoned in the submitted Crossing Form and the Reason for
			Update in the most recent National Crossing Inventory record is not
			Closed or Out-service/Inactive or Abandoned and the Revision Date is
			Greater than or equal to the Revision Date in the most recent
			National Crossing Inventory, then the Crossing will be closed
	BRE06.01	Applies to EXISTING Crossings - Close an Open Crossing	If the Agency is a Railroad /State or the Agency has been delegated
Crossing		(Questionable)	reporting privileges from a Railroad /State, then:
		This rule determines if the submitted crossing form will close an	If the Reason for Update is Closed or Out-Service/Inactive or
		Open crossing in the National Crossing Inventory.	Abandoned in the submitted Crossing Form and the Reason for
			Update in the most recent National Crossing Inventory record is not
			Closed or Out-service/Inactive or Abandoned and the Revision Date is
			Less than the Revision Date in the most recent National Crossing
			Inventory, then the submission will be Flag as Questionable
EXISTING	BRE06.02	Applies to EXISTING Crossings - Updates to a Closed Crossing This	If the Agency is a Railroad /State or the Agency has been delegated
Crossing		rule determines if the submitted crossing form will update a Closed	reporting privileges from a Railroad /State, then:
		crossing in the National Crossing Inventory.	If the Reason for Update is NOT Closed or Out-Service/Inactive or
			Abandoned in the submitted Crossing Form and the Reason for
			Update in the most recent National Crossing Inventory record is
			Closed or Out-service/Inactive or Abandoned and the Reason for
			Update is not Re-Open in the submitted Crossing Form, then the
			submission will be Invalid. The Agency must re-submit with the
			Reason for Update set to Re-Open.

Applies	ID	Description	Definition
То			

EXISTING	BRE07	Applies to EXISTING Crossings -	If the Agency is a Railroad /State or the Agency has been delegated
Crossing		This rule determines if the submitted crossing form contains the	reporting privileges from a Railroad /State, then:
		same values as the most recent crossing in the National Crossing	If the submitted Form has no changes when compared to the most
		Inventory.	recent National Crossing Inventory record, then the submission will be
			considered as a No Change.
EXISTING	BRE08	Applies to EXISTING Crossings - Revision Date Only	If the Agency is a Railroad/State or the Agency has been delegated
Crossing		This rule determines if the submitted crossing form will ONLY update	reporting privileges from a railroad /State, then:
		the	If the Reason for Update is Date Change Only and Revision Date on
		Revision Date for a record in the National Crossing Inventory. If so	the Submitted Form is less than or equal to the most recent National
		the Reason for Update should be Change Date Only and the	Crossing Inventory record, then the rule is invalid.
		submitted date must be greater than the most recent record for the	
		selected crossing.	
EXISTING	BRE09	Applies to EXISTING Crossings - Latitude / Longitude	If the Lat/Long Source on the Submitted Form is Estimated and the
Crossing		Latitude and/or Longitude updates to a record in the National	Lat/Long Source on the selected National Crossing Inventory record is
		Crossing are only allowed when the submitted values fall in the	estimated or empty/blank
		following categories:	OR
		1) The agency is submitting Estimated values and the selected	If the Lat/Long Source on the Submitted Form is Actual and the
		National Crossing Inventory has estimated or none.	Lat/Long Source on the selected National Crossing Inventory record is
		2) The agency is submitting Actual values and the selected National	estimated or empty/blank, then the update is valid. Otherwise the
		Crossing Inventory have estimated or none.	submission will be rejected.

# **Appendix C: GCIS Required and Optional Fields**

This appendix provides a listing of required vs. optional fields to be used by Agencies when submitting the following types of modifications to the National Grade Crossing Inventory:

- 1. New Crossings [NOTE: See Footnotes 1-3, for New Crossings, in this Appendix]
- 2. Updates to an existing crossing

For modifications, the fields can either be:

- 1) R: Required A value for the field, depending on the type of crossing, should be provided if it is not already in the current published record in the GCIS database.
- 2) O: Optional The field can be ignored or left blank/null
- 3) C: Conditional The field can be ignored or left blank/null, however if a value in a related field (See Appendix B-1 for Single and Cross-Field Validations) is provided, then the field becomes required

Example: If TYPEXING=2 and POSXING=1, then Public Access (OPENPUB) must not be blank

4) -: Empty cell that may not be applicable for the submit agency for the column.
 Note: For further guidance, refer to the FRA Guide for Preparing US DOT Crossing Inventory Forms, APPENDIX B – Responsibility Table for Periodic Updates to the Crossing Inventory and Instructions on the top of Form FRA F6180.71

Box No.			Railroad	or Transit	State				
on	Field Name	Description	New Crossings Existing Crossings		Crossings	Existing Crossings			
Form 6180.71		Description	Public <sup>1</sup>	Private <sup>2</sup>	Grade Separated <sup>3</sup>	Public	Private	Public	Private
А	RevisionDate	Revision Date (Date of Submission)	R	R	R	R	R	R	-
В	ReportingAgencyTypeID	Reporting Agency	R	R	R	R	R	R	-
С	ReasonId	Reason for Update	R	R	R	R	R	R	-
D	CrossingId	DOT Crossing Inventory Number	R	R	R	R	R	R	-

Table 6 - GCIS Required and Optional Fields

<sup>1</sup>• For Public Highway-Rail Grade Crossing, complete the Header and Parts I – V, with the exception of I.20 and III.2.K.

• For Public Pathway Grade Crossing, complete the Header and Parts I – II, with the exception of I.20. All other fields optional.

For Private at Grade Crossing, complete the Header and Parts I – II, and III.2.K. All other fields are optional (see Instructions for initial reporting, on Form FRA F6180.71, for private crossings).

<sup>3</sup>• The Header and Part I, with the exception of I.20, must be provided. All other fields are optional.

Federa	al Railroad	Administration	<b>Highway-Rail</b>	Crossing	g Division

Box No.			Railroad	or Transit				State		
on Form	Field Name	Description	New Cro	ssings		Existing	Crossings	Existing	Crossings	
6180.71		Description	Public <sup>1</sup>	Private 2	Grade Separated <sup>3</sup>	Public	Private	Public	Private	
			•	•		•	•			
l.1	Railroad	Primary Operating Railroad	R	R	R	R	R	-	-	
1.2	StateCD	State Numeric Code	R	R	R	-	R	R	-	
I.3	CntyCD	County Numeric Code	R	R	R	-	R	R	-	
1.4	Nearest	In or Near City Indicator	R	R	R	-	R	R	-	
1.4	CityCD	City/Municipality Numeric Code	R	R	R	-	R	R	-	
1.5	Street	Street or Road Name	R	R	R	-	R	R	-	
1.5	BlockNumb	Block Number (of Street or Road)	0	0	0	-	0	0	-	
1.6	Highway	Highway Type and No.	R	R	R	-	R	R	-	
1.7	SepInd	Do Other RRs Operate a Separate Track at Crossing?	R	R	R	R	R	-	-	
1.7	SepRr1	Specify RR Code of Other Railroads that Operate Separate Track	с	с	С	с	С	-	-	
1.7	SepRr2	Specify RR Code of Other Railroads that Operate Separate Track	С	с	С	С	С	-	-	
1.7	SepRr3	Specify RR Code of Other Railroads that Operate Separate Track	с	с	С	с	С	-	-	
1.7	SepRr4	Specify RR Code of Other Railroads that Operate Separate Track	с	с	С	с	С	-	-	
1.8	SameInd	Do other RRs Operate Over Your Track at Crossing?	R	R	R	R	R	-	-	
1.8	SameRr1	Specify RR Code(s) of Other Railroads that Operate Over Your Track at Crossing	с	С	с	с	С	-	-	
1.8	SameRr2	Specify RR Code(s) of Other Railroads that Operate Over Your Track at Crossing	с	с	с	с	С	-	-	
1.8	SameRr3	Specify RR Code(s) of Other Railroads that Operate Over Your Track at Crossing	с	С	С	С	С	-	-	

FRA Instructions for Electronic Submission of U.S. DOT Crossing Inventory Data

GCIS v3.2.0 - Document Revision Date: 06/09/2022

Deville	Box No.		Railroad or Transit					State	
Box No. on Form Field Name	Description	New Crossings			Existing Crossings		Existing Crossings		
6180.71		Description	Public <sup>1</sup>	Private 2	Grade Separated <sup>3</sup>	Public	Private	Public	Private

1.8	SameRr4	Specify RR Code(s) of Other Railroads that Operate Over Your Track at Crossing	с	с	с	С	С	-	-
1.9	RrDiv	Railroad Division or Region	R	R	R	R	R	-	-
I.10	RrSubDiv	Railroad Subdivision or District	R	R	R	R	R	-	-
I.11	Branch	Branch or Line Name	R	R	R	R	R	-	-
I.12	PrfxMilePost	RR Milepost Prefix	0	0	0	0	0	-	-
I.12	MilePost	RR Milepost	R	R	R	R	R	-	-
I.12	SfxMilePost	RR Milepost Suffix	0	0	0	0	0	-	-
I.13	RrID	Line Segment	0	0	0	0	0	-	-
1.14	TtstnNam	Nearest RR Timetable Station Name	0	0	0	0	0	-	-
I.15	RrMain	Parent RR	R	R	R	R	R	-	-
I.16	XingOwnr	Crossing Owner	R	R	R	R	R	-	-
I.17	TypeXing	Crossing Type	R	R	R	-	R	R	-
I.18	XPurpose	Crossing Purpose	R	R	R	-	R	R	-
I.19	PosXing	Crossing Position	R	R	R	-	R	R	-
1.20	OpenPub	Public Access (if Private Crossing)	-	R	С	-	R	-	-
I.21	TypeTrnSrvcIDs	Type of Train	R	R	R	R	R	-	-
1.22	Lt1PassMov	Less Than One Average Passenger Train Count Per Day?	R	R	R	R	R	-	-
1.22	PassCnt	Number Per Day	С	C	С	С	С	-	-
1.23	DevelTypID	Type of Land Use	R	R	R	-	R	R	-
1.24	XingAdj	Is there an Adjacent Crossing with a Separate Number?	R	R	R	-	R	R	-
1.24	XngAdjNo	If Yes, Provide Crossing Number	С	C	С	-	С	С	-
1.25	WhistBan	Quiet Zone (FRA Provided)	-	-	-	-	-	-	-

Box No. on Form Field Name			Railroad or Transit					State	
	Description	New Crossings			Existing Crossings		Existing Crossings		
6180.71		Description	Public <sup>1</sup>	Private 2	Grade Separated <sup>3</sup>	Public	Private	Public	Private

1.25	WhistDate	Date Established	-	-	-	-	-	-	-
1.26	SfxHscoRrid	HSR Corridor ID Suffix	R	R	R	-	R	R	-
1.26	HscoRrid	HSR Corridor ID	R	R	R	-	R	R	-
1.27	Latitude	Latitude in decimal degrees (max 10 char., WGS84 std nn.nnnnnn)	R	R	R	-	R	R	-
1.28	Longitude	Longitude in decimal degrees (max 11 char., WGS84 std - nnn.nnnnnn)	R	R	R	-	R	R	-
1.29	LLsource	Latitude/Longitude Source	R	R	R	-	R	R	-
I.30.A	RrNarr1	Railroad Use	0	0	0	0	0	-	-
I.30.B	RrNarr2	Railroad Use	0	0	0	0	0	-	-
1.30.C	RrNarr3	Railroad Use	0	0	0	0	0	-	-
I.30.D	RrNarr4	Railroad Use	0	0	0	0	0	-	-
I.31.A	StNarr1	State Use	-	-	-	-	-	0	-
I.31.B	StNarr2	State Use	-	-	-	-	-	0	-
I.31.C	StNarr3	State Use	-	-	-	-	-	0	-
I.31.D	StNarr4	State Use	-	-	-	-	-	0	-
I.32.A	RrNarr	Railroad Narrative	0	0	0	0	0	-	-
I.32.B	StNarr	State Narrative	-	-	-	-	-	0	-
1.33	PolCont	Emergency Notification Telephone No. ( <i>Posted</i> )	R	R	R	R	R	-	-
1.34	RrCont	Railroad Contact (Telephone No.)	R	R	R	R	R	-	-
1.35	HwyCont	State Contact (Telephone No.)	-	-	-	-	-	R	-
II.1.A	DayThru	Total Day Thru Trains (6 AM to 6 PM)	R	R	0	R	R	-	-
II.1.B	NghtThru	Night Thru Trains (6 PM to 6AM)	R	R	0	R	R	-	-
II.1.C	TotalSwt	Total Switching Trains (6 AM to 6 PM)	R	R	0	R	R	-	-

FRA Instructions for Electronic Submission of U.S. DOT Crossing Inventory Data

GCIS v3.2.0 - Document Revision Date: 06/09/2022

Boy No	Box No.		Railroad or Transit					State	
on Form   Field Name	Description	New Crossings			Existing Crossings		Existing Crossings		
6180.7		Description	Public <sup>1</sup>	Private 2	Grade Separated <sup>3</sup>	Public	Private	Public	Private

II.1.D	TotalLtr	Total Transit Trains	R	R	0	R	R	-	-
II.1.E	Lt1Mov	Check if Less Than One Movement Per Day	С	С	0	С	С	-	-
II.1.E	WeekTrnMov	How many trains per week?	С	С	0	С	С	-	-
11.2	YearTrnMov	Year of Train Count Data	R	R	0	R	R	-	-
II.3.A	MaxTtSpd	Maximum Timetable Speed	R	R	0	R	R	-	-
II.3.B	MinSpd	Typical Speed Range Over Crossing (mph) From	R	R	0	R	R	-	-
II.3.B	MaxSpd	Typical Speed Range Over Crossing (mph) To	R	R	0	R	R	-	-
11.4	MainTrk	Main	R	R	0	R	R	-	-
11.4	SidingTrk	Siding	R	R	0	R	R	-	-
11.4	YardTrk	Yard	R	R	0	R	R	-	-
11.4	TransitTrk	Transit	R	R	0	R	R	-	-
11.4	IndustryTrk	Industry	R	R	0	R	R	-	-
II.5	SpselIDs	Train Detection (Main Track Only)	R	R	0	R	R	-	-
II.6	Sgnleqp	Is Track Signaled	R	R	0	R	R	-	-
II.7.A	EMonitorDvce	Event Recorder	R	R	0	С	С	-	-
II.7.B	HealthMonitor	Remote Health Monitoring	R	R	0	С	С	-	-
III.1	NoSigns	Are there Signs or Signals?	С	0	0	-	-	R	-
III.2.A	XBuck	Crossbuck Assemblies (count)	С	0	0	-	-	R	-
III.2.B	StopStd	Stop Signs (R1-1)	С	0	0	-	-	R	-
III.2.C	YieldStd	Yield Signs (R1-2)	С	0	0	-	-	R	-
III.2.D	AdvWarn	Advance Warning Signs	С	0	0	-	-	R	-
III.2.D	AdvW10_1	Advance Warning Signs (W10-1)	С	0	0	-	-	С	-
III.2.D	AdvW10_2	Advance Warning Signs (W10-2)	С	0	0	-	-	С	-
III.2.D	AdvW10_3	Advance Warning Signs (W10-3)	С	0	0	-	-	С	-

Feder	al Railroad	Administration	<b>Highway-Rail</b>	Crossing	Division

		Highway-Kan Crossing Division	Railroad	or Transit				State		
Box No. on Form	Field Name	Description	New Cro	ssings		Existing	Crossings	Existing Crossings		
6180.71		Description	Public <sup>1</sup>	Private 2	Grade Separated <sup>3</sup>	Public	Private	Public	Private	
					1					
III.2.D	AdvW10_4	Advance Warning Signs (W10-4)	C	0	0	-	-	C	-	
III.2.D	AdvW10_11	Advance Warning Signs (W10-11)	С	0	0	-	-	C	-	
III.2.D	AdvW10_12	Advance Warning Signs (W10-12)	С	0	0	-	-	C	-	
III.2.E	Low_Grnd	Low Ground Clearance Signs (W10- 5)	С	0	О	-	-	R	-	
III.2.E	Low_GrndSigns	Low Ground Clearance Signs (W10- 5) count	С	0	0	-	-	С	-	
III.2.F	PaveMrkIDs	Pavement Markings	С	0	0	-	-	R	-	
III.2.G	Channel	Channelization Devices	С	0	0	-	-	R	-	
III.2.H	Exempt	Exempt (R15-3)	С	0	0	-	-	R	-	
111.2.1	EnsSign	ENS Sign Displayed (I-13)	С	0	0	-	-	R	-	
III.2.J	OthSgn	Other MUTCD Signs	С	0	0	-	-	R	-	
III.2.J	OthSgn1	Other MUTCD Signs: Count	С	0	0	-	-	С	-	
III.2.J	OthDes1	Specify Type	С	0	0	-	-	С	-	
III.2.J	OthSgn2	Other MUTCD Signs: Count	С	0	0	-	-	С	-	
III.2.J	OthDes2	Specify Type	С	0	0	-	-	С	-	
III.2.J	OthSgn3	Other MUTCD Signs: Count	С	0	0	-	-	С	-	
III.2.J	OthDes3	Specify Type	С	0	0	-	-	С	-	
III.2.K	PrvxSign	Private Crossing Signs	-	R	0	-	R	-	-	
III.2.L	Led	LED Enhanced Signs	С	0	0	-	-	R	-	
III.3.A	Gates	Gate Arms: Roadway	С	0	0	-	-	R	-	
III.3.A	GatePed	Gate Arms: Pedestrian	С	0	0	-	-	R	-	
III.3.B	GateConf	Gate Configuration	С	0	0	-	-	С	-	
III.3.B	GateConfType	Gate Configuration Type	С	0	0	-	-	С	-	
III.3.C	FlashOv	Cantilevered (or Bridged) Flashing Light Structures: Over Traffic Lane	С	0	0	-	-	R	-	

Box No. on Form Field Name 6180.71	Description	Railroad or Transit						State	
		New Crossings			Existing Crossings		Existing Crossings		
		Description	Public <sup>1</sup>	Private 2	Grade Separated <sup>3</sup>	Public	Private	Public	Private

				•					
III.3.C	FlashNov	Cantilevered (or Bridged) Flashing Light Structures: Not Over Traffic Lane	С	0	О	-	-	R	-
III.3.C	CFlashType	Cantilevered (or Bridged) Flashing Light Structures (Type)	С	0	0	-	-	С	-
III.3.D	FlashPost	Mast Mounted Flashing Lights (count of masts)	С	0	0	-	-	R	-
III.3.D	FlashPostType	Mast Mounted Flashing Lights (Type)	С	0	0	-	-	С	-
III.3.D	Bkl_FlashPost	Mast Mounted Flashing Lights: Back Lights Included	С	0	0	-	-	С	-
III.3.D	Sdl_FlashPost	Mast Mounted Flashing Lights: Side Lights Included	С	0	0	-	-	С	-
III.3.E	FlashPai	Total Count of Flashing Light Pairs	С	0	0	-	-	R	-
III.3.F	AwdIDate	Installation Date of Current Active Warning Devices	С	0	0	-	-	R	-
III.3.G	AwhornChk	Wayside Horn	С	0	0	-	-	R	-
III.3.G	AwhornlDate	Wayside Horn Installed On	С	0	0	-	-	С	-
III.3.H	HwyTrafSignl	Highway Traffic Signals Controlling Crossing	С	0	0	-	-	R	-
111.3.1	Bells	Bells	С	0	0	-	-	R	-
III.3.J	SpecPro	Non-Train Active Warning	С	0	0	-	-	R	-
III.3.K	FlashOth	Other Flashing Lights or Warning Devices: Count	С	0	0	-	-	R	-
III.3.K	FlashOthDes	Other Flashing Lights or Warning Devices: Specify Type	С	0	0	-	-	R	-
III.4.A	HwynrSig	Does Nearby Hwy Intersection have Traffic Signal?	С	0	0	-	-	R	-
III.4.B	Intrprmp	Hwy Traffic Signal Interconnection	С	0	0	-	-	R	-

Box No. on Form 6180.71 Field Name Description			Railroad or Transit						State	
	Description	New Crossings			Existing Crossings		Existing Crossings			
		Description	Public <sup>1</sup>	Private 2	Grade Separated <sup>3</sup>	Public	Private	Public	Private	

III.4.C	PrempType	Highway Traffic Signal Preemption	С	0	0	-	-	С	-
III.5	HwtrfPsig	Highway Traffic Pre-Signals	С	0	0	-	-	R	-
III.5	HwtrfPsigsdis	Highway Traffic Pre-Signals – Storage Distance	С	0	0	-	-	С	-
III.5	HwtrfPsigIndis	Highway Traffic Pre-Signals – Stop Line Distance	С	0	0	-	-	С	-
III.6	MonitorDev	Highway Monitoring Devices	С	0	0	-	-	R	-
IV.1	TraficLn	Traffic Lanes Crossing Railroad: Number of Lanes	С	0	0	-	-	R	-
IV.1	TrafInType	Traffic Lanes Crossing Railroad – Type	С	0	0	-	-	R	-
IV.2	HwyPved	Is Roadway/ Pathway Paved?	С	0	0	-	-	R	-
IV.3	Downst	Does Track Run Down a Street?	С	0	0	-	-	R	-
IV.4	Illumina	Is Crossing Illuminated?	С	0	0	-	-	R	-
IV.5	XSurfDate	Crossing Surface: Installation Date	С	0	0	-	-	0	-
IV.5	XSurfWidth	Crossing Surface: Width	С	0	0	-	-	0	-
IV.5	XSurfLength	Crossing Surface: Length	С	0	0	-	-	0	-
IV.5	XSurfaceIDs	Crossing Surface (on Main Track): Type	С	0	0	-	-	R	-
IV.5	XSurOthr	Crossing Surface for Other (specify)	С	0	0	-	-	С	-
IV.6	HwyNear	Intersecting Roadway within 500 feet?	С	0	0	-	-	R	-
IV.6	HwynDist	If Yes, Approximate Distance (feet)	С	0	0	-	-	С	-
IV.7	XAngle	Smallest Crossing Angle	С	0	0	-	-	R	-
IV.8	ComPower	Is Commercial Power Available?	С	0	0	-	-	0	-
V.1	HwySys	Highway System	С	0	0	-	-	R	-
V.2	HwyClassCD	Functional Classification of Road at Crossing	С	0	0	-	-	R	-

Box No. on Form 6180.71 Field Name	Description	Railroad or Transit						State	
		New Crossings			Existing Crossings		Existing Crossings		
		Description	Public <sup>1</sup>	Private 2	Grade Separated <sup>3</sup>	Public	Private	Public	Private

V.2	HwyClassrdtpID	Functional Classification of Road at Crossing	С	0	0	-	-	R	-
V.3	StHwy1	Is Crossing on State Highway System?	С	0	0	-	-	R	-
V.4	HwySpeed	Highway Speed Limit (MPH)	С	0	0	-	-	R	-
V.4	HwySpeedps	Highway Speed Limit - Posted or Statutory	С	0	0	-	-	R	-
V.5	LrsRouteid	Linear Referencing System (LRS Route ID)	С	0	0	-	-	0	-
V.6	LrsMilePost	LRS Milepost	С	0	0	-	-	0	-
V.7	Aadt	Annual Average Daily Traffic (AADT)	С	0	0	-	-	R	-
V.7	AadtYear	AADT: Year	С	0	0	-	-	R	-
V.8	PctTruk	Estimated Percent Trucks	С	0	0	-	-	R	-
V.9	SchlBusChk	Regularly Used by School Buses?	С	0	0	-	-	R	-
V.9	SchlBsCnt	Average No. of School Buses Passing Over the Crossing on a School Day	С	0	О	-	-	R	-
V.10	EmrgncySrvc	Emergency Services Route	С	0	0	-	-	R	-

Footnotes for New Crossings:

1• For Public Highway-Rail Grade Crossing, complete the Header and Parts I – V, with the exception of I.20 and III.2.K.

• For Public Pathway Grade Crossing, complete the Header and Parts I – II, with the exception of I.20. All other fields optional.

2• For Private at Grade Crossing, complete the Header and Parts I – II, and III.2.K. All other fields are optional (see Instructions for initial reporting, on Form FRA F6180.71, for private crossings).

3• The Header and Part I, with the exception of I.20, must be provided. All other fields are optional.

# **Appendix D: GCIS Business Processes**

This appendix describes the key business processes used by the GCIS application.

- 1) Grade Crossing Inventory Update Process: Describes the end-to-end process that will facilitate the submission, receipt, validation and publishing of submitted crossing updates regardless of the capability (On-line or System to System) used by the agency.
- 2) Grade Crossing Inventory System Process: Describes the end-to-end process that will facilitate the submission, receipt, validation and publishing of submitted crossing updates regardless of the capability (On-line or System to System) used by the agency.

The diagram below depicts the business process for Additions (New) or Modifications (Update) to the National Crossing Inventory:





Figure 1 - GCIS Business Processes



#### The diagram below depicts how the FRA Secure API could be used for this process.

Figure 2 - FRA Secure API flow